

Price list Series H270

H 5i - 7i Compactors of weight class 5–7 t

Scope of supply – basic machine

Diesel engine
 Manufacturer:
 KUBOTA
 Type:
 V3307-CR-T
 Power rat. ISO 14396, kW/PS/rpm:
 55,4/75,3/2200
 Emission standard:
 EU Stage V / EPA Tier 4
 Exhaust gas after-treatment:
 DOC-DPF
 Operating voltage:
 12 V
 Machine equipment
 12 V outlets (double)
 2 large working and rear view mirrors
 3-point articulation
 Tray behind the driver's seat
 Storage bin under the driver's seat
 Trays
 Anti-slip control
 Dashboard with displays, indicator lights and switches
 Fixture for cooler
 ECO mode
 Spring-mounted driver's seat with armrest and safety belt
 Cup holder
 Large angle of driving slope at front and rear
 Hose protection on front vehicle
 Vibration-isolated operator's platform
 Maintenance points, central on one machine side

H 5i H270	89,101.00 USD
H 5i P H270	94,783.00 USD
H 7i H270	111,689.00 USD
H 7i P H270	120,973.00 USD
H 7i VIO H270	131,366.00 USD

- Standard
- o Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

H 5i	H 5i P	H 7i	H 7i P	H 7i VIO
------	--------	------	--------	----------

Mandatory Options

Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

2,203.00 USD

Special painting (RAL... + RAL ...)

7,400.00 USD

CE conformity

Version with CE conformity

Warning marker

Warning labels according to ANSI

Displayed unit of speed

Displayed unit of speed is mph

Displayed unit of frequency

Displayed unit of frequency is rpm

Wiper

Plastic scraper, for smooth drum

Metal scraper, for padfoot drum

Drive lever

Drive lever

Drive lever with additional functions

305.00 USD

Construction

ROPS, rigid

ROPS cabin with heating and door to the left, FOPS-approved (level I)

9,076.00 USD

ROPS cab with heating and air-conditioning system, FOPS-approved (level I)

13,746.00 USD

adjustable steering column

Steering column, tiltable

Driver seat

Driver seat, black imitation leather

Hydraulic oil

Hydraulic oil

Service documentation

English spare parts and application documentation (EN)

Technical documentation

Technical documentation – country-specific version for North America (US)

Equipment Options

Protective roof

Protective roof, plastic, on ROPS

Plastic protective roof on ROPS with integrated FOPS-approved (level I)

499.00 USD

padfoot segments

Padfoot shells with metal scraper, not installed

10,642.00 USD

Padfoot shells with metal scraper, not installed

13,913.00 USD

Dozer blade

Leveling blade

17,224.00 USD

Automatic motor stop

Automatic motor stop	166.00 USD	Δ	Δ	Δ	Δ	Δ
Back-up alarm		●	●	●	●	●
Back-up alarm, with volume adjustment						
Automatic vibration system						
Automatic vibration system	222.00 USD	○	○	○	○	○
Lighting package as per road traffic regulations						
Lighting package as per road traffic regulations	721.00 USD	○	○	○	○	○
working lights		●	●	●	●	●
Working lights on plastic protective roof, 4-fold, LED						
rotating beacon light						
Rotating beacon on cabin, halogen	568.00 USD	○	○	○	○	○
Rotating beacon on ROPS, halogen	568.00 USD	○	○	○	○	○
Battery isolation switch						
Battery isolation switch, electronic	637.00 USD	○	○	○	○	○
Documentation						
Technical documentation for additional set – country-specific version for North America (US)	430.00 USD	○	○	○	○	○

Price list Series H235

H 11i - 12i Compactors of weight class 10–12 t

Scope of supply – basic machine

Diesel engine
Manufacturer:
DEUTZ
Type:
TCD 3.6 L4
Power rat. ISO 14396, kW/PS/rpm:
85,0/115,6/2300
Emission standard:
EU Stage IV / EPA Tier 4
Exhaust gas after-treatment:
DOC-SCR
Operating voltage:
12 V
Machine equipment
2 large working and rear view mirrors
2 multiply-adjustable armrests
3-point articulation
Storage bin, lockable
Dashboard with displays, indicator lights and function key
Automatic traction control and anti-slip control
Operating concept Easy Drive
ECO mode
Spring-mounted driver's seat with armrests and safety belt
Speed preselect
Cup holder
Hammtronic—electronic machine management
Hose protection on front vehicle
Vibration-isolated operator's platform
Space for cooler
Stepless hydrostatic all-wheel drive
Automatic vibration system

H 10i H235	136,631.00	USD
H 10i P H235	149,657.00	USD
H 12i H235	147,856.00	USD
H 12i P H235	160,881.00	USD

- Standard
- Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

H 10i	H 10i P	H 12i	H 12i P
-------	---------	-------	---------

Mandatory Options

Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

2,203.00 USD

Special painting (RAL... + RAL ...)

7,400.00 USD

CE conformity

Version with CE conformity

Warning marker

Warning labels according to ANSI

System of units

Display of the units of measurement, US units

Wiper

Plastic scraper, for smooth drum

Metal scraper, for padfoot drum (2-fold, V-shape)

Construction

ROPS, rigid

ROPS cab with heating and air-conditioning system, FOPS-approved (level I)

16,864.00 USD

Driver seat

Driver seat, black imitation leather

adjustable steering column

Steering column with comfort exit and tiltable dashboard

Rotating seat adapter

Rotating seat adapter

Lighting package as per road traffic regulations

Lighting package as per road traffic regulations

Hydraulic oil

Hydraulic oil

Technical documentation

Technical documentation – country-specific version for North America (US)

Service documentation

English spare parts and application documentation (EN)

Equipment Options

Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather

Armrest

Armrest comfort setting, left

360.00 USD

Armrest comfort setting, left, at driver's seat with high backrest

360.00 USD

HCQ navigator

Preparation for HCQ Navigator, at cabin

11,848.00 USD

Preparation for HCQ Navigator, at ROPS

11,848.00 USD

dashboard cover

Dashboard cover, lockable

402.00 USD

Protective roof

Protective roof, plastic, on ROPS	-499.00	USD	●	●	○	○
Plastic protective roof on ROPS with integrated FOPS-approved (level I)			○	○	●	●
Dozer blade						
Leveling blade	28,643.00	USD	-	○	○	○
padfoot segments						
Padfoot shells with metal scraper, not installed	16,462.00	USD	○	-	○	-
Frequency control						
Frequency control	277.00	USD	○	○	○	○
HCQ compaction meter						
HAMM Compaction Meter (HCM)	7,968.00	USD	○	○	○	○
Automatic motor stop						
Automatic motor stop			○	○	●	●
Back-up alarm						
Back-up alarm, with volume adjustment			●	●	●	●
Telematics system						
WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization			○	○	●	●
working lights, ready						
Preparation for working lights or rotating beacon, for ROPS	277.00	USD	○	○	○	○
Preparation for working lights or rotating beacon, at protective roof			○	○	●	●
working lights						
Working lights on cabin, 4-fold, halogen	-1,289.00	USD	○	○	○	○
Working lights on cabin, 4-fold, LED	0.00	USD	○	○	○	○
Working lights on plastic protective roof, 4-fold, halogen	-1,109.00	USD	○	○	○	○
Working lights on plastic protective roof, 4-fold, LED	0.00	USD	○	○	●	●
rotating beacon light						
Rotating beacon on cabin, halogen	568.00	USD	○	○	○	○
Rotating beacon on ROPS with protective roof, halogen	568.00	USD	○	○	○	○
lunchbox holder						
lunchbox holder			●	●	●	●
Hood release mechanism, convenience						
Hood release mechanism, convenience			○	○	●	●
Documentation						
Technical documentation for additional set – country-specific version for North America (US)	430.00	USD	○	○	○	○

Price list Series H267

H 13i - 16i Compactors of weight class 13–16 t

Scope of supply – basic machine

Diesel engine
 Manufacturer:
 DEUTZ
 Type:
 TCD 4.1 L4
 Power rat. ISO 14396, kW/PS/rpm:
 115,0/156,4/2300
 Emission standard:
 EU Stage V / EPA Tier 4
 Exhaust gas after-treatment:
 DOC-DPF-SCR
 Operating voltage:
 12 V
 Machine equipment
 2 large working and rear view mirrors
 2 multiply-adjustable armrests
 3-point articulation
 Storage bin, lockable
 Dashboard with displays, indicator lights and function key
 Automatic traction control and anti-slip control
 Operating concept Easy Drive
 ECO mode
 Spring-mounted driver's seat with armrests and safety belt
 Speed preselect
 Cup holder
 Hammtronic—electronic machine management
 Hose protection on front vehicle
 Vibration-isolated operator's platform
 Space for cooler
 Stepless hydrostatic all-wheel drive
 Automatic vibration system

H 13i C H267	177,371.00	USD
H 13i C P H267	190,674.00	USD
H 13i VIO H267	194,970.00	USD
H 14i H267	175,154.00	USD
H 14i P H267	188,596.00	USD
H 16i H267	191,229.00	USD
H 16i P H267	203,977.00	USD

- Standard
- Optionally available
- Not available
- Δ Order from headquarter
- ▲ Preset

H 13i C	H 13i C P	H 13i VIO	H 14i	H 14i P	H 16i	H 16i P
---------	-----------	-----------	-------	---------	-------	---------

Mandatory Options

Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

Special painting (RAL... + RAL ...)

CE conformity

Version with CE conformity

Warning marker

Warning labels according to ANSI

System of units

Display of the units of measurement, US units

Wiper

Plastic scraper, for smooth drum

Metal scraper, for padfoot drum (2-fold, V-shape)

Construction

ROPS cab with heating and air-conditioning system, FOPS-approved (level I)

ROPS, rigid

Driver seat

Driver seat, black imitation leather

adjustable steering column

Steering column with comfort exit and tiltable dashboard

Rotating seat adapter

Rotating seat adapter

Lighting package as per road traffic regulations

Lighting package as per road traffic regulations

Hydraulic oil

Hydraulic oil

Service documentation

English spare parts and application documentation (EN)

Technical documentation

Technical documentation – country-specific version for North America (US)

2,203.00 USD
7,400.00 USD

16,338.00 USD

Equipment Options

Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather

Armrest

Armrest comfort setting, left

Armrest comfort setting, left, at driver's seat with high backrest

HCQ navigator

Preparation for HCQ Navigator, at cabin

Preparation for HCQ Navigator, at cabin and VIO

Preparation for HCQ Navigator, at ROPS

360.00 USD
360.00 USD
11,848.00 USD
11,848.00 USD
11,848.00 USD

Preparation for HCQ Navigator, at ROPS and VIO

dashboard cover

Dashboard cover, lockable

Protective roof

Protective roof, plastic, on ROPS

Plastic protective roof. FOPS-approved (level I)

Dozer blade

Leveling blade

Levelling blade modular extension

Modular extension from leveling blade to dozer blade, installed

padfoot segments

Padfoot shells with metal scraper, not installed

Plate compactor attachment

Preparation for vibration plate

Vibration plate, complete

Frequency control

Frequency control

HCQ compaction meter

HAMM Compaction Meter (HCM)

HAMM Compaction Meter (HCM), VIO

Automatic motor stop

Automatic motor stop

Back-up alarm

Back-up alarm, with volume adjustment

Telematics system

WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization

working lights, ready

Preparation for working lights or rotating beacon, at protective roof

working lights

Working lights on cabin, 4-fold, halogen

Working lights on cabin, 4-fold, LED

Working lights on plastic protective roof, 4-fold, halogen

Working lights on plastic protective roof, 4-fold, LED

rotating beacon light

Rotating beacon on cabin, halogen

Rotating beacon on ROPS with protective roof, halogen

lunchbox holder

lunchbox holder

Hood release mechanism, convenience

Hood release mechanism, convenience

11,848.00	USD	-	-	○	-	-	-	-
402.00	USD	○	○	○	○	○	○	○
-499.00	USD	○	○	○	○	○	○	○
		●	●	●	●	●	●	●
28,643.00	USD	○	○	○	○	○	○	○
8,037.00	USD	Δ	Δ	Δ	Δ	Δ	Δ	Δ
16,462.00	USD	○	-	○	○	-	○	-
29,987.00	USD	○	-	○	○	-	○	-
97,125.00	USD	○	-	○	○	-	○	-
277.00	USD	○	○	○	○	○	○	○
7,968.00	USD	○	○	-	○	○	○	○
7,968.00	USD	-	-	○	-	-	-	-
		●	●	●	●	●	●	●
		●	●	●	●	●	●	●
		●	●	●	●	●	●	●
		●	●	●	●	●	●	●
-1,289.00	USD	○	○	○	○	○	○	○
		○	○	○	○	○	○	○
-1,109.00	USD	○	○	○	○	○	○	○
		●	●	●	●	●	●	●
568.00	USD	○	○	○	○	○	○	○
568.00	USD	○	○	○	○	○	○	○
		●	●	●	●	●	●	●
		●	●	●	●	●	●	●

Documentation

Technical documentation for additional set – country-specific version for North America (US)

430.00 USD

○	○	○	○	○	○	○
---	---	---	---	---	---	---

Price list Series H268

H 18i - H25i Compactors of weight class 18–25 t

Scope of supply – basic machine

Diesel engine
 Manufacturer:
 DEUTZ
 Type:
 TCD 6.1 L6
 Power rat. ISO 14396, kW/PS/rpm:
 160,0/217,6/2300
 Emission standard:
 EU Stage IV / EPA Tier 4
 Exhaust gas after-treatment:
 DOC-DPF-SCR
 Operating voltage:
 12 V
 Machine equipment
 2 large working and rear view mirrors
 2 multiply-adjustable armrests
 3-point articulation
 Storage bin, lockable
 Dashboard with displays, indicator lights and function key
 Automatic traction control and anti-slip control
 Operating concept Easy Drive
 ECO mode
 Spring-mounted driver's seat with armrests and safety belt
 Speed preselect
 Cup holder
 Hammtronic—electronic machine management
 Hose protection on front vehicle
 Vibration-isolated operator's platform
 Space for cooler
 Steppless hydrostatic all-wheel drive
 Automatic vibration system

H 18i H268	244,024.00 USD
H 18i P H268	259,821.00 USD
H 20i H268	259,683.00 USD
H 20i P H268	275,341.00 USD
H 25i H268	337,144.00 USD
H 25i VC H268	400,194.00 USD
H 20i C H268	271,046.00 USD
H 20i C P H268	286,150.00 USD
H 25i C P H268	358,207.00 USD

- | |
|-----------|
| H 18i |
| H 18i P |
| H 20i |
| H 20i P |
| H 25i |
| H 25i VC |
| H 20i C |
| H 20i C P |
| H 25i C P |

Paintwork

Special painting (RAL... + RAL 7015)

2.203.00 USD

7,400.00 USD

Version with CE conformity

Warning labels according to ANSI

Display of the units of measurement, US units

Plastic scraper, for smooth drum (2-fold, V-shape)

Metal scraper, for padfoot drum (2-fold, V-shape)

Steel scraper, for vibration crusher drum (2x)

ROPS cab with heating and air-conditioning system, FOPS-approved (level I)

Driver seat, black imitation leather

Driver's seat with high backrest, black imitation leather

956.00 USD

Steering column with comfort exit and tiltable dashboard

Rotating seat adapter

Lighting package as per road traffic regulations

Version without lighting package

-1,372.00 USD

Tool set, for stone, not installed

Hydraulic oil

English spare parts and application documentation (EN)

Technical documentation – country-specific version for North America (US)

Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather

Armrest comfort setting, left

Armrest comfort setting, left, at driver's seat with high backrest

Safety belt monitoring

Vehicle heater

Vehicle heater

Vehicle heater	8,591.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
HQC navigator									
Process data interface for third-party systems, earth work	1,746.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Dozer blade									
Dozer blade	36,666.00 USD	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
padfoot segments									
Padfoot shells with metal scraper, not installed	21,326.00 USD	<input type="radio"/>	-	<input type="radio"/>	-	<input type="radio"/>	-	<input type="radio"/>	-
Frequency control									
Frequency control	277.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="checkbox"/>	<input type="radio"/>	<input type="radio"/>
HQC compaction meter									
HAMM Compaction Meter (HCM)	7,968.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="checkbox"/>	<input type="radio"/>	<input type="radio"/>
Automatic motor stop									
Automatic motor stop		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Camera system									
Rear camera system, in case of cabin		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Back-up alarm									
Back-up alarm, with volume adjustment		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="radio"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Telematics system									
WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
working lights									
Working lights on cabin, 4-fold, halogen		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Working lights on cabin, 4-fold, LED	1,289.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="radio"/>	<input checked="" type="checkbox"/>
rotating beacon light									
Rotating beacon on cabin, halogen	568.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hood release mechanism, convenience									
Hood release mechanism, convenience		<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
Coming home function									
Coming home function	388.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Battery isolation switch									
Battery isolation switch, electronic	1,081.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Documentation									
		<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Technical documentation for additional set – country-specific version for North America (US)	430.00 USD								

Price list Series H263

HD 8 - 10C Tandem rollers of weight class 1.5 t

Scope of supply – basic machine

Diesel engine

Manufacturer:

KUBOTA

Type:

D1105-E4B

Power ISO 14396, kW/PS/rpm:

16,1/21,9/2600

Emission standard:

EU Stage V / EPA Tier 4

Exhaust gas after-treatment:

-

Operating voltage:

12 V

Machine equipment

12 V outlet

3-point articulation

Dashboard with displays, indicator lights and switches

Dashboard cover, lockable and weather-resistant

Clear Side

Compressed water sprinkling system

Operator's platform with entry from both sides

V-belt protection

Automatic vibration system

Water filtering (triple)

Central lifting bracket

HD 8 VV H263	38,107.00 USD
HD 10C VV H263	40,047.00 USD
HD 10C VT H263	45,729.00 USD

- Standard
- o Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

HD 8 VV	HD 10C VV	HD 10C VT
---------	-----------	-----------

Mandatory Options

Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

1,219.00 USD

Special painting (RAL... + RAL ...)

4,351.00 USD

CE conformity

Version without CE conformity

Version with CE conformity

Warning marker

Warning labels according to ANSI

Wiper

Plastic scraper, foldable

Construction

ROPS foldable

Driver seat

Driver seat, black imitation leather

Lighting package as per road traffic regulations

Lighting package as per road traffic regulations

Hydraulic oil

Hydraulic oil

Service documentation

English spare parts and application documentation (EN)

Technical documentation

Technical documentation – country-specific version for North America (US)

Equipment Options

Safety belt monitoring

Safety belt monitoring

1,012.00 USD

Drive lever

Additional drive lever, left

596.00 USD

Protective roof

Metal protective roof on ROPS with integrated FOPS-approved (level I)

1,871.00 USD

Anti-freeze protection injection

Anti-freeze protection injection

208.00 USD

Automatic motor stop

Automatic motor stop

346.00 USD

Back-up alarm

Back-up alarm

working lights

Working lights on ROPS, 2-fold, halogen

457.00 USD

Working lights on ROPS, 2-fold, LED

804.00 USD

Working lights on metal protective roof, 4-fold, LED

1,718.00 USD

rotating beacon light

Rotating beacon, halogen

596.00 USD

Rotating beacon, LED	707.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rotating beacon on ROPS with metal protective roof, LED	845.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Cup holder				
Cup holder	222.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Battery isolation switch				
Battery isolation switch with cable operation	277.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Hydraulic oil tank cover, lockable				
Hydraulic oil tank cover, lockable	166.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Water tank cover, lockable				
Water tank cover, lockable	139.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Drain cock valve				
Drain cock valve	166.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Documentation				
Technical documentation for additional set – country-specific version for North America (US)	430.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Price list Series H230

HD 10 - 12 Tandem rollers of weight class 2.5 t

Scope of supply – basic machine

Diesel engine

Manufacturer:

KUBOTA

Type:

D1703

Power rat. ISO 14396, kW/PS/rpm:

18,5/25,2/2200

Emission standard:

EU Stage V / EPA Tier 4

Exhaust gas after-treatment:

-

Operating voltage:

12 V

Machine equipment

12 V outlet

3-point articulation

Dashboard with displays, indicator lights and switches

Dashboard cover, lockable and weather-resistant

Handrails

Battery isolation switch

Pressure water sprinkling with interval switch

Operator's platform with entry from both sides

Hydrostatic steering

Vibration-isolated operator's platform

Track offset

Vibration front and rear, switchable single and doubled

Central lifting bracket

HD 10 VV H230	47,114.00 USD
HD 10 VT H230	50,717.00 USD
HD 12 VV H230	48,916.00 USD
HD 12 VT H230	52,796.00 USD
HD 10 VO H230	56,814.00 USD
HD 12 VO H230	59,031.00 USD

- Standard
- o Optionally available
- Not available
- Δ Order from headquarter
- ▲ Preset

HD 10 VV	HD 10 VT	HD 12 VV	HD 12 VT	HD 10 VO	HD 12 VO
----------	----------	----------	----------	----------	----------

Mandatory Options

Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

Special painting (RAL... + RAL ...)

CE conformity

Version with CE conformity

Warning marker

Warning labels according to ANSI

Wiper

Plastic scraper, foldable

Construction

ROPS foldable

Driver seat

Driver seat, black imitation leather

Lighting package as per road traffic regulations

Lighting package as per road traffic regulations

Hydraulic oil

Hydraulic oil

Service documentation

English spare parts and application documentation (EN)

Technical documentation

Technical documentation – country-specific version for North America (US)

1,219.00 USD

4,351.00 USD

•	•	•	•	•	•
Δ	Δ	Δ	Δ	Δ	Δ
Δ	Δ	Δ	Δ	Δ	Δ
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•
•	•	•	•	•	•

Equipment Options

thermal aprons

thermal aprons

all-wheel lock

all-wheel lock

Anti-freeze protection injection

Anti-freeze protection injection

HCQ compaction meter

HAMM Compaction Meter (HCM)

HAMM Compaction Meter (HCM) and HAMM Temperature Meter (HTM)

Automatic motor stop

Automatic motor stop

HAMM Temperature Meter (HTM)

HAMM Temperature Meter (HTM), front

Back-up alarm

Back-up alarm

working lights

Working lights on ROPS, 2-fold, halogen

Working lights on ROPS, 4-fold, halogen

Working lights on ROPS, 2-fold, LED

4,587.00 USD

1,691.00 USD

208.00 USD

4,434.00 USD

6,651.00 USD

346.00 USD

2,120.00 USD

457.00 USD

1,039.00 USD

804.00 USD

-	o	-	o	-	-
o	o	o	o	o	o
o	o	o	o	o	o
o	o	o	o	o	o
o	o	o	o	o	o
o	o	o	o	o	o
o	o	o	o	o	o
•	•	•	•	•	•
o	o	o	o	o	o
o	o	o	o	o	o
o	o	o	o	o	o

Price list Series H251

HD 12i Tandem rollers of weight class 2.5 t

Scope of supply – basic machine

Diesel engine

Manufacturer:

KUBOTA

Type:

D1803-CR

Power ISO 14396, kW/PS/rpm:

24.0/32,6/2200

Emission standard:

EU Stage V / EPA Tier 4

Exhaust gas after-treatment:

DOC-DPF

Operating voltage:

12 V

Machine equipment

12 V outlet

3-point articulation

Dashboard with displays, indicator lights and switches

Dashboard cover, lockable and weather-resistant

Compressed water sprinkling system

Operator's platform with entry from both sides

Left and right drive lever

V-belt protection

Mechanical battery isolation switch

Mechanical track offset

Automatic vibration system

Water filtering (triple)

Central lifting bracket

Central water drain

HD 12i VV H251	55,983.00 USD
HD 12i VT H251	60,001.00 USD
HD 12i VO H251	66,376.00 USD

- Standard
- o Optionally available
- Not available
- Δ Order from headquarter
- ▲ Preset

HD 12i VV	HD 12i VT	HD 12i VO
-----------	-----------	-----------

Mandatory Options

Paintwork

standard color (RAL 2004 + RAL 7015)	USD	•	•	•
Special painting (RAL... + RAL 7015)	1,219.00 USD	o	o	o
Special painting (RAL... + RAL ...)	4,351.00 USD	o	o	o

CE conformity

Version with CE conformity	USD	•	•	•
----------------------------	-----	---	---	---

Warning marker

Warning labels according to ANSI	USD	•	•	•
----------------------------------	-----	---	---	---

Wiper

Plastic scraper, rigid	-457.00 USD	o	o	o
Plastic scraper, foldable	USD	•	•	•

Construction

ROPS foldable	USD	•	•	•
---------------	-----	---	---	---

Driver seat

Driver seat, black imitation leather	USD	•	•	•
Driver seat, black imitation leather; comfort version	485.00 USD	o	o	o

Lighting package as per road traffic regulations

Lighting package as per road traffic regulations	USD	•	•	•
--	-----	---	---	---

Hydraulic oil

Hydraulic oil	USD	•	•	•
---------------	-----	---	---	---

Technical documentation

Technical documentation – country-specific version for North America (US)	USD	•	•	•
---	-----	---	---	---

Service documentation

English spare parts and application documentation (EN)	USD	•	•	•
--	-----	---	---	---

Equipment Options

Safety belt monitoring

Safety belt monitoring	1,012.00 USD	o	o	o
------------------------	--------------	---	---	---

thermal aprons

thermal aprons	4,587.00 USD	-	o	-
----------------	--------------	---	---	---

all-wheel lock

all-wheel lock	1,691.00 USD	o	o	o
----------------	--------------	---	---	---

Anti-freeze protection injection

Anti-freeze protection injection	208.00 USD	o	o	o
----------------------------------	------------	---	---	---

HCQ compaction meter

HAMM Compaction Meter (HCM)	4,434.00 USD	o	o	o
-----------------------------	--------------	---	---	---

HAMM Temperature Meter (HTM)

HAMM Temperature Meter (HTM), front	2,120.00 USD	o	o	o
-------------------------------------	--------------	---	---	---

Back-up alarm

Back-up alarm	USD	•	•	•
---------------	-----	---	---	---

working lights

Working lights on ROPS, 2-fold, halogen	457.00 USD	o	o	o
Working lights on ROPS, 4-fold, halogen	1,039.00 USD	o	o	o

Working lights on ROPS, 2-fold, LED	804.00 USD	○	○	○
Working lights on ROPS, 4-fold, LED	1,538.00 USD	○	○	○
rotating beacon light				
Rotating beacon, halogen	596.00 USD	○	○	○
Rotating beacon, LED	707.00 USD	○	○	○
Drum edge lighting				
Drum edge lighting, LED	1,219.00 USD	○	-	○
Drum edge lighting, LED	540.00 USD	-	○	-
Cup holder				
Cup holder	222.00 USD	○	○	○
Battery isolation switch				
Battery isolation switch, electronic	277.00 USD	○	○	○

Documentation

Technical documentation for additional set – country-specific version for North America (US)		○	○	○
	430.00 USD			

1/1/2021

Price list Series H285

HD 13i - 14i Tandem rollers of weight class 4.5 t

Scope of supply – basic machine

Diesel engine

Manufacturer:

KUBOTA

Type:

V2403-CR

Power ISO 14396, kW/PS/rpm:

37.4/50,9/2700

Emission standard:

EU Stage V / EPA Tier 4

Exhaust gas after-treatment:

DOC-DPF

Operating voltage:

12 V

Machine equipment

12 V outlet

3-point articulation

Dashboard with displays, indicator lights and switches

Dashboard cover, lockable and weather-resistant

Compressed water sprinkling system

Operator's platform with entry from both sides

Left and right drive lever

V-belt protection

Mechanical battery isolation switch

Mechanical track offset

Automatic vibration system

Water filtering (triple)

Central water drain

HD 13i VV H285	71,919.00 USD
HD 14i VV H285	75,937.00 USD
HD 13i VT H285	76,769.00 USD
HD 14i VT H285	81,064.00 USD
HD 13i VO H285	84,944.00 USD
HD 14i VO H285	89,240.00 USD

- Standard
- o Optionally available
- Not available
- Δ Order from headquarter
- ▲ Preset

HD 13i VV	HD 14i VV	HD 13i VT	HD 14i VT	HD 13i VO	HD 14i VO
-----------	-----------	-----------	-----------	-----------	-----------

Mandatory Options

Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

Special painting (RAL... + RAL ...)

CE conformity

Version with CE conformity

Warning marker

Warning labels according to ANSI

Displayed unit of temperature

Displayed unit of temperature is °F

Wiper

Plastic scraper, foldable

Construction

ROPS cab with heating

ROPS foldable

Driver seat

Driver seat, black imitation leather; comfort version

Lighting package as per road traffic regulations

Lighting package as per road traffic regulations

Hydraulic oil

Hydraulic oil

Service documentation

English spare parts and application documentation (EN)

Technical documentation

Technical documentation – country-specific version for North America (US)

1,219.00 USD

4,351.00 USD

22,282.00 USD

Equipment Options

Safety belt monitoring

Safety belt monitoring

radio

Radio system, complete

Protective roof

Metal protective roof on ROPS with integrated FOPS-approved (level I)

Grit spreader

Preparation for chip spreader attachment

Preparation for chip spreader attachment and adapter bracket, rigid

HAMM line spreader HLS 120, complete, rigid version

Grit spreader, canvas cover

Grit spreader, canvas cover

Spreading quantity adjustment, electrical

Spreading quantity adjustment, electrical

thermal aprons

1,012.00 USD

928.00 USD

2,494.00 USD

3,825.00 USD

5,210.00 USD

19,095.00 USD

1,039.00 USD

845.00 USD

thermal aprons	4,587.00 USD	-	-	○	○	-	-
all-wheel lock							
all-wheel lock	3,132.00 USD	○	○	○	○	○	○
Anti-freeze protection injection							
Anti-freeze protection injection	208.00 USD	○	○	○	○	○	○
HCQ compaction meter							
HAMM Compaction Meter (HCM)	3,686.00 USD	○	○	○	○	○	○
Automatic motor stop							
Automatic motor stop	166.00 USD	Δ	Δ	Δ	Δ	Δ	Δ
HAMM Temperature Meter (HTM)							
HAMM Temperature Meter (HTM), front	2,217.00 USD	○	○	○	○	○	○
Back-up alarm							
Back-up alarm		●	●	●	●	●	●
working lights							
Working lights on ROPS, 2-fold, halogen	457.00 USD	○	○	○	○	○	○
Working lights on ROPS, 4-fold, halogen	1,039.00 USD	○	○	○	○	○	○
Working lights on ROPS, 2-fold, LED	804.00 USD	○	○	○	○	○	○
Working lights on ROPS, 4-fold, LED	1,538.00 USD	○	○	○	○	○	○
rotating beacon light							
Rotating beacon on ROPS with protective roof, LED	818.00 USD	○	○	○	○	○	○
Rotating beacon on ROPS with metal protective roof, LED	845.00 USD	○	○	○	○	○	○
Drum edge lighting							
Drum edge lighting, LED	1,219.00 USD	○	○	-	-	○	○
Drum edge lighting, LED	540.00 USD	-	-	○	○	-	-
Battery isolation switch							
Battery isolation switch, electronic	651.00 USD	○	○	○	○	○	○
Documentation							
Technical documentation for additional set – country-specific version for North America (US)	430.00 USD	○	○	○	○	○	○



HAMM

A WIRTGEN GROUP COMPANY

Price list Series H264

HD 14i TT Pneumatic tire rollers for weight class 3.5 t

Scope of supply – basic machine

Diesel engine

Manufacturer:

KUBOTA

Type:

V2403-CR

Power ISO 14396, kW/PS/rpm:

37.4/50,9/2700

Emission standard:

EU Stage V / EPA Tier 4

Exhaust gas after-treatment:

DOC-DPF

Operating voltage:

12 V

Machine equipment

12 V outlet

3-point articulation

Dashboard with displays, indicator lights and switches

Dashboard cover, lockable and weather-resistant

Handrails

Battery isolation switch

Compressed water sprinkling system

Operator's platform with entry from both sides

Hydrostatic steering

Vibration-isolated operator's platform

CompactLine front suspension eyelet

HD 14i TT H264

89,379.00 USD

- Standard
- o Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

HD 14i TT

Mandatory Options

Tire

1 set of wheels with smooth tires

Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

1,219.00 USD

Special painting (RAL... + RAL ...)

4,351.00 USD

CE conformity

Version with CE conformity

Warning marker

Warning labels according to ANSI

Construction

ROPS foldable

ROPS cab with heating

22,282.00 USD

Driver seat

Driver seat, black imitation leather; comfort version

Lighting package as per road traffic regulations

Lighting package as per road traffic regulations

Hydraulic oil

Hydraulic oil

Service documentation

English spare parts and application documentation (EN)

Technical documentation

Technical documentation – country-specific version for North America (US)

Equipment Options

Safety belt monitoring

Safety belt monitoring

1,012.00 USD

radio

Radio system, complete

928.00 USD

fire extinguisher

fire extinguisher

333.00 USD

Protective roof

Metal protective roof on ROPS with integrated FOPS-approved (level I)

2,494.00 USD

Additional load

Steel ballasting (617 lb), installed

2,855.00 USD

thermal aprons

thermal aprons

4,310.00 USD

Additive sprinkling

Additive sprinkling

1,774.00 USD

all-wheel lock

all-wheel lock

3,132.00 USD

Anti-freeze protection injection

Anti-freeze protection injection

208.00 USD

HAMM Temperature Meter (HTM)

HAMM Temperature Meter (HTM), front

2,217.00 USD



Displayed unit of temperature

Displayed unit of temperature is °F



Automatic motor stop

Automatic motor stop

166.00 USD



Back-up alarm

Back-up alarm



working lights

Working lights on ROPS, 2-fold, halogen

457.00 USD



Working lights on ROPS, 4-fold, halogen

1,039.00 USD



Working lights on ROPS, 2-fold, LED

804.00 USD



Working lights on ROPS, 4-fold, LED

1,538.00 USD



Working lights on metal protective roof, 4-fold, LED

1,718.00 USD



rotating beacon light

Rotating beacon, halogen

596.00 USD



Rotating beacon, LED

707.00 USD



Rotating beacon on ROPS with protective roof, LED

818.00 USD



Rotating beacon on ROPS with metal protective roof, LED

845.00 USD



Battery isolation switch

Battery isolation switch, electronic

651.00 USD



Documentation

Technical documentation for additional set – country-specific version for North America (US)

430.00 USD



Price list Series H186

HD+ 70i - 80i Tandem rollers of weight class 7–8 t

Scope of supply – basic machine

Diesel engine
 Manufacturer:
 DEUTZ
 Type:
 TCD 2.9 L4
 Power rat. ISO 14396, kW/PS/rpm:
 55,4/75,3/2500
 Emission standard:
 EU Stage IIIB/EPA Tier 4
 Exhaust gas after-treatment:
 DOC
 Operating voltage:
 12 V
 Machine equipment
 2 water pumps
 Foldable scraper
 Dashboard with displays, indicator lights and switches
 Tiltable dashboard
 Spring-mounted driver's seat with armrests and safety belt
 Hammtronic—electronic machine management
 Seat-operating unit, adjustable sideways and rotatable
 Track offset
 Vibration front, rear, and double switchable
 Spray system with spray bars front and rear
 Water filtering (triple)
 Water tank front and rear, can be filled from both sides
 Central water drain

HD+ 70i VV H186	135,107.00 USD
HD+ 70i VV-HF H186	138,571.00 USD
HD+ 70i VO H186	153,953.00 USD
HD+ 70i VT H186	143,560.00 USD
HD+ 80i VV H186	144,114.00 USD
HD+ 80i VV-HF H186	147,994.00 USD
HD+ 80i VO H186	165,731.00 USD
HD+ 80i VT H186	155,339.00 USD
HD+ 80i VV-S H186	175,570.00 USD
HD+ 80i VO-S H186	185,270.00 USD
HD+ 80i VT-S H186	172,106.00 USD
HD+ 80i OT H186	176,956.00 USD

- Standard
- Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

		HD+ 70i VV	HD+ 70i VV-HF	HD+ 70i VO	HD+ 70i VT	HD+ 80i VV	HD+ 80i VV-HF	HD+ 80i VO	HD+ 80i VT	HD+ 80i VV-S	HD+ 80i VO-S	HD+ 80i VT-S	HD+ 80i OT
Mandatory Options													
Steering													
Steering unit, standard		●	●	●	●	●	●	●	●	●	●	●	●
CE conformity													
Version without CE conformity		○	●	○	○	○	●	○	○	○	○	○	○
Version with CE conformity		●	○	●	●	●	○	●	●	●	●	●	●
Construction													
ROPS cabin with non-split doors, FOPS-approved (level I)		8,384.00 USD	○	○	○	○	○	○	○	○	○	○	○
ROPS cab with split doors, FOPS-tested (Level I)		10,975.00 USD	○	○	○	○	○	○	○	○	○	○	○
ROPS, rigid			●	●	●	●	●	●	●	●	●	●	●
Paintwork													
standard color (RAL 2004 + RAL 7015)			●	●	●	●	●	●	●	●	●	●	●
Special painting (RAL... + RAL 7015)		2,037.00 USD	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ
Special painting (RAL... + RAL ...)		6,776.00 USD	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ	Δ
Warning marker													
Warning labels according to ANSI			●	●	●	●	●	●	●	●	●	●	●
Driver seat													
Driver seat, black imitation leather			●	●	●	●	●	●	●	●	●	●	●
Lighting package as per road traffic regulations													
Lighting package as per road traffic regulations			●	●	●	●	●	●	●	●	●	●	●
Hydraulic oil													
Hydraulic oil			●	●	●	●	●	●	●	●	●	●	●
Technical documentation													
Technical documentation – country-specific version for North America (US)			●	●	●	●	●	●	●	●	●	●	●
Service documentation													
English spare parts and application documentation (EN)			●	●	●	●	●	●	●	●	●	●	●
Equipment Options													
heating and airconditioning													
heating and airconditioning		13,525.00 USD	○	○	○	○	○	○	○	○	○	○	○
Driver seat backrest extension													
Backrest extension for driver's seat, black imitation leather			●	●	●	●	●	●	●	●	●	●	●
Safety belt monitoring													
Safety belt monitoring		388.00 USD	○	○	○	○	○	○	○	○	○	○	○
adjustable steering column													
Steering column with comfort exit and tiltable dashboard			●	●	●	●	●	●	●	●	●	●	●
Drive lever													
Additional drive lever, left, with comfort armrest left and right			●	●	●	●	●	●	●	●	●	●	●
HCQ navigator													
Preparation for HCQ Navigator, at cabin		11,765.00 USD	○	○	○	○	○	○	○	○	○	○	○
Preparation for HCQ Navigator, at ROPS		11,765.00 USD	○	○	○	○	○	○	○	○	○	○	○
Process data interface for third-party systems, asphalt construction		1,732.00 USD	○	○	○	○	○	○	○	○	○	○	○
fire extinguisher													
fire extinguisher		263.00 USD	○	○	○	○	○	○	○	○	○	○	○
Protective roof													
Protective roof, plastic, on ROPS			●	●	●	●	●	●	●	●	●	●	●
edge pressing equipment													
Edge pressing and cutting equipment with track indicator, front left		7,164.00 USD	○	○	○	○	○	○	○	○	○	○	○
Edge pressing and cutting equipment with track indicator, front right		7,164.00 USD	○	○	○	○	○	○	○	○	○	○	○
Edge pressing and cutting equipment with track indicator, front left and right		14,342.00 USD	○	○	○	○	○	○	○	○	○	○	○
Cutting wheel		762.00 USD	○	○	○	○	○	○	○	○	○	○	○
pressing roll 45 degrees, 1 3/16 in layer		443.00 USD	○	○	○	○	○	○	○	○	○	○	○
pressing roll 45 degrees, 1 31/32 in layer		499.00 USD	○	○	○	○	○	○	○	○	○	○	○

Price list Series H242

HD+ 90i - 110i Tandem rollers of weight class 9–11 t

Scope of supply – basic machine

Diesel engine
 Manufacturer:
 DEUTZ
 Type:
 TCD 3.6 L4
 Power rat. ISO 14396, kW/PS/rpm:
 85,0/115,6/2300
 Emission standard:
 EU Stage IV / EPA Tier 4
 Exhaust gas after-treatment:
 DOC-SCR
 Operating voltage:
 12 V
 Machine equipment
 2 water pumps
 Foldable scraper
 Tiltable dashboard
 Operating concept Easy Drive
 Spring-mounted driver's seat with armrests and safety belt
 Hammtronic—electronic machine management
 Seat-operating unit, adjustable sideways and rotatable
 Track offset
 Vibration parameters, adjustable individually
 Spray system with spray bars front and rear
 Water filtering (triple)
 Water tank front and rear, can be filled from both sides
 Central water drain

HD+ 90i VV H242	159,219.00 USD
HD+ 90i VV-HF H242	163,930.00 USD
HD+ 90i VO H242	180,004.00 USD
HD+ 90i VV-S H242	199,820.00 USD
HD+ 90i VO-S H242	217,557.00 USD
HD+ 90i VT H242	173,214.00 USD
HD+ 90i VT-S H242	188,319.00 USD
HD+ 110i VV H242	167,117.00 USD
HD+ 110i VV-HF H242	171,967.00 USD
HD+ 110i VO H242	189,289.00 USD
HD+ 110i VT H242	182,499.00 USD

- | |
|---------------|
| HD+ 90i VV |
| HD+ 90i VV-HF |
| HD+ 90i VO |
| HD+ 90i VV-S |
| HD+ 90i VO-S |
| HD+ 90i VT |
| HD+ 90i VT-S |
| HD+ 110i VV |
| HD+ 110i VV-H |
| HD+ 110i VO |
| HD+ 110i VT |

Paintwork

[illegible][illegible]

● - ● ● ● ● ● ● - ● ●

[illegible][illegible][illegible][illegible][illegible]

Driver seat backrest extension

[illegible][illegible][illegible][illegible]

1.732.00 USD 0 0 0 0 0 0 0 0 0 0 0

402.00 USD ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○ ○

[illegible]

[illegible]

Battery isolation switch

[illegible]

Documentation

Technical documentation for additional set – country-specific version for North America (US) 430.00 USD

430.00 USD

Price list Series H274

HD+ 120i - 140i Tandem rollers of weight class 12–14 t

Scope of supply – basic machine

Diesel engine
 Manufacturer:
 DEUTZ
 Type:
 TCD 4.1 L4
 Power rat. ISO 14396, kW/PS/rpm:
 115,0/156,4/2300
 Emission standard:
 EU Stage V / EPA Tier 4
 Exhaust gas after-treatment:
 DOC-DPF-SCR
 Operating voltage:
 12 V
 Machine equipment
 2 water pumps
 Foldable scraper
 Tilttable dashboard
 Operating concept Easy Drive
 Spring-mounted driver's seat with armrests and safety belt
 Hammtronic—electronic machine management
 Seat-operating unit, adjustable sideways and rotatable
 Track offset
 Axially adjustable compaction parameters
 Spray system with spray bars front and rear
 Water filtering (triple)
 Water tank front and rear, can be filled from both sides
 Central water drain

HD+ 120i VV H274	181,667.00 USD
HD+ 140i VV H274	204,116.00 USD
HD+ 120i VV-HF H274	187,764.00 USD
HD+ 140i VV-HF H274	210,074.00 USD
HD+ 120i VO H274	211,737.00 USD
HD+ 140i VO H274	238,759.00 USD

- Standard
- o Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

HD + 120i VV	HD + 140i VV	HD + 120i VV-H	HD + 140i VV-H	HD + 120i VO	HD + 140i VO
--------------	--------------	----------------	----------------	--------------	--------------

Mandatory Options

Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

Special painting (RAL... + RAL ...)

CE conformity

Version with CE conformity

Warning marker

Warning labels according to ANSI

System of units

Display of the units of measurement, US units

Construction

ROPS cabin with non-split doors, FOPS-approved (level I)

ROPS cab with split doors, FOPS-tested (Level I)

ROPS, rigid

Air conditioning

heating and airconditioning

Driver seat

Driver seat, black imitation leather

Steering

Steering unit, standard

Armrest

Multifunction armrest, right, foldable

adjustable steering column

Steering column with comfort exit and tiltable dashboard

Lighting package as per road traffic regulations

Lighting package as per road traffic regulations

Hydraulic oil

Hydraulic oil

Service documentation

English spare parts and application documentation (EN)

Technical documentation

Technical documentation – country-specific version for North America (US)

2,037.00 USD

6,776.00 USD

9,492.00 USD

12,222.00 USD

13,525.00 USD

Equipment Options

Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather

Safety belt monitoring

Safety belt monitoring

Drive lever

Armrest comfort setting, left

HCQ navigator

Preparation for HCQ Navigator, at cabin

Preparation for HCQ Navigator, at ROPS

Process data interface for third-party systems, asphalt construction

388.00 USD

166.00 USD

11,848.00 USD

11,848.00 USD

1,732.00 USD

dashboard cover

Dashboard cover, lockable

402.00 USD

Protective roof

Protective roof, plastic, on ROPS

edge pressing equipment

Edge pressing and cutting equipment with track indicator, front left

9,035.00 USD

Edge pressing and cutting equipment with track indicator, front right

9,035.00 USD

Edge pressing and cutting equipment with track indicator, front left and right

18,084.00 USD

Cutting wheel

pressing roll 45 degrees, 1 3/16 in layer

762.00 USD

pressing roll 45 degrees, 1 31/32 in layer

443.00 USD

pressing roll 45 degrees, 3 5/32 in layer

499.00 USD

pressing roll 45 degrees, 4 23/32 in layer

568.00 USD

pressing roll 60 degrees, 1 3/16 in layer

748.00 USD

pressing roll 60 degrees, 1 31/32 in layer

568.00 USD

pressing roll 60 degrees, 3 5/32 in layer

651.00 USD

pressing roll 60 degrees, 4 23/32 in layer

721.00 USD

1,095.00 USD

Anti-freeze protection injection

Anti-freeze protection injection

Frequency control

Frequency control

Automatic motor stop

Automatic motor stop

HAMM Temperature Meter (HTM)

HAMM Temperature Meter (HTM), front

2,162.00 USD

HAMM Temperature Meter (HTM), rear

2,162.00 USD

HAMM Temperature Meter (HTM), front and rear

4,323.00 USD

Track offset display

Track offset display

Camera system

Rear camera system, (cabin only)

4,808.00 USD

Back-up alarm

Back-up alarm

Telematics system

WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization

working lights, ready

Preparation for working lights or rotating beacon, at ROPS/protective roof

USD

working lights

Working lights on plastic protective roof, 4-fold, LED

Coming home function

Coming home function

rotating beacon light

Rotating beacon on cabin, halogen

624.00 USD

Rotating beacon on plastic protective roof, halogen

707.00 USD

Rotating beacon on cabin, LED

831.00 USD

Rotating beacon on ROPS with protective roof, plastic, LED

831.00 USD

Drum edge lighting

Drum edge lighting, LED

lunchbox holder

lunchbox holder						
Cup holder						
Cup holder	319.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Mobile cooling box						
Mobile cooling box	1,441.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Battery isolation switch						
Battery isolation switch, electronic	845.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Documentation						
Technical documentation for additional set – country-specific version for North America (US)	430.00 USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Price list Series H277

DV+ 70i Tandem rollers of weight class 7 t

Scope of supply – basic machine

Diesel engine
Manufacturer:
KUBOTA
Type:
V3307-CR-T
Power rat. ISO 14396, kW/PS/rpm:
55,4/75,3/2200
Emission standard:
EU Stage V / EPA Tier 4
Exhaust gas after-treatment:
DOC-DPF
Operating voltage:
12 V
Machine equipment
12 V outlets (double)
2 large working and rear view mirrors
2 water pumps
Foldable scraper
Operating concept Easy Drive
Lighting package as per road traffic regulations
Pressurized refilling of water tanks from below
ECO mode
Spring-mounted driver's seat with armrests and safety belt
Cup holder
Hammtronic—electronic machine management
Cabin floor window, front and rear
Seat-operating unit, adjustable sideways and rotatable
Spray system with spray bar front and rear
Water filtering (triple)
Water tank front and rear, can be filled from both sides
Central water drain

DV+ 70i VV-S H277	190,951.00	USD
DV+ 70i VT-S H277	198,850.00	USD
DV+ 70i VO-S H277	203,146.00	USD
DV+ 70i VS-OS H277	228,781.00	USD

- Standard
- o Optionally available
- Not available
- Δ Order from headquarter
- ▲ Preset

DV+ 70i VV-S	DV+ 70i VT-S	DV+ 70i VO-S	DV+ 70i VS-OS
--------------	--------------	--------------	---------------

Mandatory Options

Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

1,926.00 USD Δ Δ Δ Δ

Special painting (RAL... + RAL ...)

6,444.00 USD Δ Δ Δ Δ

CE conformity

Version with CE conformity

• • • •

Warning marker

Warning labels according to ANSI

• • • •

System of units

Display of the units of measurement, US units

• • • •

Construction

ROPS cabin with split doors

5,931.00 USD o o o o

ROPS with metal protective roof

• • • •

Air conditioning

heating and airconditioning

13,372.00 USD o o o o

Driver seat

Driver seat, black imitation leather

• • • •

Armrest

Multifunction armrest, rigid

• • • •

Multifunction armrest, right, foldable

277.00 USD o o o o

Seat adjustment

Mechanical adjustment of seat-operating unit

• • • •

Lighting package as per road traffic regulations

Lighting package, halogen, as per road traffic regulations

• • • •

Camera system

Camera system, front and rear

• • • •

Camera system—front, rear and chip spreader

2,577.00 USD o o o o

Camera system, front, rear and and preparation for chip spreader

1,330.00 USD o o o o

Hydraulic oil

Hydraulic oil

• • • •

Technical documentation

Technical documentation – country-specific version for North America (US)

• • • •

Service documentation

English spare parts and application documentation (EN)

• • • •

Equipment Options

Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather

• • • •

Armrest folding mechanism

Armrest comfort setting, left

194.00 USD o o o o

Safety belt monitoring

Safety belt monitoring

388.00 USD o o o o

HCQ navigator

Preparation for HCQ Navigator	11,848.00	USD	○	○	○	○
Process data interface for third-party systems, asphalt construction	1,746.00	USD	○	○	○	○
dashboard cover						
Dashboard cover, lockable			●	●	●	●
edge pressing equipment						
Edge pressing and cutting equipment with track indicator, front left	9,160.00	USD	○	○	○	○
Edge pressing and cutting equipment with track indicator, front right	9,160.00	USD	○	○	○	○
Edge pressing and cutting equipment with track indicator, rear left	9,160.00	USD	○	-	○	○
Edge pressing and cutting equipment with track indicator, rear right	9,160.00	USD	○	-	○	○
Edge pressing and cutting equipment with track indicator, front left and right	18,319.00	USD	○	○	○	○
Edge pressing and cutting equipment with track indicator, front right and rear left	18,319.00	USD	○	-	○	○
Edge pressing and cutting equipment with track indicator, front right and rear right	18,319.00	USD	○	○	○	○
Cutting wheel	762.00	USD	○	○	○	○
pressing roll 45 degrees, 1 3/16 in layer	443.00	USD	○	○	○	○
pressing roll 45 degrees, 1 31/32 in layer	499.00	USD	○	○	○	○
pressing roll 45 degrees, 3 5/32 in layer	568.00	USD	○	○	○	○
pressing roll 45 degrees, 4 23/32 in layer	748.00	USD	○	○	○	○
pressing roll 60 degrees, 1 3/16 in layer	568.00	USD	○	○	○	○
pressing roll 60 degrees, 1 31/32 in layer	651.00	USD	○	○	○	○
pressing roll 60 degrees, 3 5/32 in layer	721.00	USD	○	○	○	○
pressing roll 60 degrees, 4 23/32 in layer	1,095.00	USD	○	○	○	○
Pressing roll, diameter 200 mm, 180 mm wide	1,095.00	USD	○	○	○	○
Chip spreader accessories						
Parking device for chip spreader, foldable	2,383.00	USD	○	○	○	○
thermal aprons						
thermal aprons	4,143.00	USD	-	○	-	-
Anti-freeze protection injection						
Anti-freeze protection injection			●	●	●	●
central lubrication system						
Central grease points	1,968.00	USD	○	○	○	○
bypass filter system						
bypass filter system	2,134.00	USD	○	○	○	○
HCQ compaction meter						
HAMM Compaction Meter (HCM)	8,162.00	USD	○	○	○	○
Automatic motor stop						
Automatic motor stop			●	●	●	●
speedometer						
speedometer	582.00	USD	○	○	○	○
HAMM Temperature Meter (HTM)						
HAMM Temperature Meter (HTM), front	1,982.00	USD	○	○	○	○
HAMM Temperature Meter (HTM), front and rear	4,019.00	USD	○	○	○	○
Back-up alarm						
Back-up alarm			●	●	●	●
Telematics system						
WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization			●	●	●	●
working lights						

Working lights, 4-fold, halogen	-873.00	USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Working lights, 4-fold, LED		USD	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
rotating beacon light						
Rotating beacon, halogen	554.00	USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Rotating beacon, LED	637.00	USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
drum lighting						
Drum lighting, LED			<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Drum edge lighting						
Drum edge lighting, LED			<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Sun blind						
Sun blind, front and rear	499.00	USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>
Coming home function						
Coming home function			<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
Documentation						
Technical documentation for additional set – country-specific version for North America (US)	430.00	USD	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>	<input type="radio"/>

Price list Series H278

DV+ 90i Tandem rollers of weight class 9 t

Scope of supply – basic machine

Diesel engine

Manufacturer:

DEUTZ

Type:

TCD 3.6 L4

Power ISO 14396, kW/PS/rpm:

74,4/101,2/2200

Emission standard:

EU Stage V / EPA Tier 4

Exhaust gas after-treatment:

DOC-DPF-SCR

Operating voltage:

12 V

Machine equipment

12 V outlets (double)

2 large working and rear view mirrors

2 water pumps

Foldable scraper

Operating concept Easy Drive

Lighting package as per road traffic regulations

Pressurized refilling of water tanks from below

ECO mode

Spring-mounted driver's seat with armrests and safety belt

Cup holder

Hammtronic—electronic machine management

Cabin floor window, front and rear

Seat-operating unit, adjustable sideways and rotatable

Spray system with spray bar front and rear

Water filtering (triple)

Water tank front and rear, can be filled from both sides

Central water drain

DV+ 90i VV-S H278	220,606.00	USD
DV+ 90i VT-S H278	225,871.00	USD
DV+ 90i VO-S H278	242,500.00	USD
DV+ 90i VS-OS H278	260,930.00	USD

- Standard
- o Optionally available
- Not available
- Δ Order from headquarter
- ▲ Preset

DV+ 90i VV-S	DV+ 90i VT-S	DV+ 90i VO-S	DV+ 90i VS-OS
--------------	--------------	--------------	---------------

Mandatory Options

Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

1,926.00

USD

Special painting (RAL... + RAL ...)

6,444.00

USD

CE conformity

Version with CE conformity

Warning marker

Warning labels according to ANSI

System of units

Display of the units of measurement, US units

Construction

ROPS cabin with split doors

5,931.00

USD

ROPS with metal protective roof

Air conditioning

heating and airconditioning

13,372.00

USD

Driver seat

Driver seat, black imitation leather

Armrest

Multifunction armrest, right, foldable

Seat adjustment

Mechanical adjustment of seat-operating unit

Lighting package as per road traffic regulations

Lighting package, halogen, as per road traffic regulations

Camera system

Camera system, front and rear

Camera system—front, rear and chip spreader

2,577.00

USD

Camera system, front, rear and and preparation for chip spreader

1,330.00

USD

Hydraulic oil

Hydraulic oil

Service documentation

English spare parts and application documentation (EN)

Technical documentation

Technical documentation – country-specific version for North America (US)

Equipment Options

Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather

Safety belt monitoring

Safety belt monitoring

388.00

USD

Armrest folding mechanism

Armrest comfort setting, left

194.00

USD

Armrest comfort setting, left, at driver's seat with high backrest

194.00

USD

HCQ navigator

Preparation for HCQ Navigator

11,848.00 USD ○ ○ ○ ○

Process data interface for third-party systems, asphalt construction

1,746.00 USD ○ ○ ○ ○

fire extinguisher

fire extinguisher

333.00 USD ○ ○ ○ ○

dashboard cover

Dashboard cover, lockable

● ● ● ●

Spray bar wind deflector

Spray bar wind deflector

887.00 USD ○ - ○ ○

edge pressing equipment

Edge pressing and cutting equipment with track indicator, front left

9,160.00 USD ○ ○ ○ ○

Edge pressing and cutting equipment with track indicator, front right

9,160.00 USD ○ ○ ○ ○

Edge pressing and cutting equipment with track indicator, rear right

9,160.00 USD ○ - ○ ○

Edge pressing and cutting equipment with track indicator, rear left

9,160.00 USD ○ - ○ ○

Edge pressing and cutting equipment with track indicator, front left and right

18,319.00 USD ○ ○ ○ ○

Edge pressing and cutting equipment with track indicator, front right and rear left

18,319.00 USD ○ - ○ ○

Edge pressing and cutting equipment with track indicator, front right and rear right

18,319.00 USD ○ - ○ ○

Cutting wheel

762.00 USD ○ ○ ○ ○

pressing roll 45 degrees, 1 3/16 in layer

443.00 USD ○ ○ ○ ○

pressing roll 45 degrees, 1 31/32 in layer

499.00 USD ○ ○ ○ ○

pressing roll 45 degrees, 3 5/32 in layer

568.00 USD ○ ○ ○ ○

pressing roll 45 degrees, 4 23/32 in layer

748.00 USD ○ ○ ○ ○

pressing roll 60 degrees, 1 3/16 in layer

568.00 USD ○ ○ ○ ○

pressing roll 60 degrees, 1 31/32 in layer

651.00 USD ○ ○ ○ ○

pressing roll 60 degrees, 3 5/32 in layer

721.00 USD ○ ○ ○ ○

pressing roll 60 degrees, 4 23/32 in layer

1,095.00 USD ○ ○ ○ ○

Pressing roll, diameter 200 mm, 180 mm wide

1,095.00 USD ○ ○ ○ ○

thermal aprons

thermal aprons

4,143.00 USD - ○ - -

Anti-freeze protection injection

Anti-freeze protection injection

● ● ● ●

speedometer

speedometer

582.00 USD ○ ○ ○ ○

Automatic motor stop

Automatic motor stop

● ● ● ●

HAMM Temperature Meter (HTM)

HAMM Temperature Meter (HTM), front

1,982.00 USD ○ ○ ○ ○

HAMM Temperature Meter (HTM), front and rear

4,019.00 USD ○ ○ ○ ○

Back-up alarm

Back-up alarm, sound-modulating (White Sound®)

● ● ● ●

Telematics system

WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization

● ● ● ●

working lights

Working lights, 4-fold, LED

● ● ● ●

rotating beacon light

Rotating beacon, halogen

554.00 USD ○ ○ ○ ○

Rotating beacon, LED	637.00	USD	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>
Drum edge lighting						
Drum edge lighting, LED			<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>
drum lighting						
Drum lighting, LED			<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>
Sun blind						
Sun blind, front and rear	499.00	USD	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>
Coming home function						
Coming home function			<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>
Battery isolation switch						
Battery isolation switch, electronic	637.00	USD	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>
Documentation						
Technical documentation for additional set – country-specific version for North America (US)	430.00	USD	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>	<div><div></div></div>

Price list Series H250

HP 180i Pneumatic tire roller

Scope of supply – basic machine

Operating data

Operating weight, identification plate:

18.776 lbs

Operating weight, max.:

37.882 lbs

Max. working width:

82 in

Min. wheel load per tire, front/rear:

2.205/2.489 lbs

Max. wheel load per tire, front/rear:

4.763/4.342 in

Water tank, capacity:

171,7 Gal

Additive tank, capacity:

7,4 Gal

Diesel engine

Manufacturer:

DEUTZ

Type:

TCD 3.6 L4

Power ISO 14396, kW/PS/rpm:

55,4/75,3/2200

Emission standard:

EU Stage V / EPA Tier 4

Exhaust gas after-treatment:

DOC-DPF

Operating voltage:

12 V

Drive

Speed, infinitely variable:

0 - 9,3 mph

Climbing ability, with/no ballast:

25/35 %

Steering

Steering angle +/-:

30 °

Oscillation angle +/-:

2 °

Level compensation, front +/-:

2,6 in

Machine equipment
 12 V outlets (double)
 2 large working and rear view mirrors
 Dashboard with displays, indicator lights and function key
 Tilttable dashboard
 Operating concept Easy Drive
 Compressed water sprinkling system
 ECO mode
 Operator's platform with entry from both sides
 Speed-controlled water sprinkling system
 Leveling of front wheelset
 Maintenance platform
 Spray system with spray bars front and rear
 Water filtering (triple)
 Water tank at front
 Central water drain

HP 180i H250

148,133.00 USD

- Standard
- Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

HP 180i

Mandatory Options

Variant

Machine with 10 sh. tn. (US) operating weight, upon delivery		●
Machine with 15 sh. tn. operating weight, upon delivery	14,023.00 USD	○
Machine with 20 sh. tn. (US) operating weight, upon delivery	27,770.00 USD	○

Pump

Hydraulics package, standard		●
------------------------------	--	---

Tire

1 set of wheels with smooth tires, Michelin	11,377.00 USD	○
1 set of wheels with smooth tires		●

Wiper

Brush scraper, foldable		●
Scraper made of brushes with coconut fiber insert, foldable	194.00 USD	○
Plastic scraper, foldable	1,136.00 USD	○

Paintwork

standard color (RAL 2004 + RAL 7015)		●
Special painting (RAL... + RAL 7015)	2,259.00 USD	○
Special painting (RAL... + RAL ...)	6,762.00 USD	○

CE conformity

Version without CE conformity		○
Version with CE conformity		●

Warning marker

Warning labels according to ANSI		●
----------------------------------	--	---

System of units

Display of the units of measurement, US units		●
---	--	---

Electrics package for options

Electrics package for options 721.00 USD ○

Electrics package standard ●

Construction

ROPS cabin with non-split doors 12,776.00 USD ○

ROPS cabin with split doors 13,885.00 USD ○

ROPS, rigid ●

Air conditioning

heating and airconditioning 11,848.00 USD ○

Driver seat

Driver seat, black imitation leather ●

Steering

Steering unit, standard ●

Armrest

Multifunction armrest, rigid -277.00 USD ○

Multifunction armrest, right, foldable ●

adjustable steering column

Steering column with tiltable dashboard -222.00 USD ○

Steering column with comfort exit and tiltable dashboard ●

Seat adjustment

Seat operating unit, adjustable sideways -2,536.00 USD ○

Seat-operating unit, adjustable sideways and rotatable ●

Lighting package as per road traffic regulations

Lighting package as per road traffic regulations ●

Version without lighting package -776.00 USD ○

Driving mode

Version with anti-slip control 1,483.00 USD ○

Version without anti-slip control ●

Hydraulic oil

Hydraulic oil ●

Service documentation

English spare parts and application documentation (EN) ●

Technical documentation

Technical documentation – country-specific version for North America (US) ●

Equipment Options

Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather ●

Safety belt monitoring

Safety belt monitoring 388.00 USD ○

Armrest comfort setting, left

Armrest comfort setting, left ●

HCQ navigator

Preparation for HCQ Navigator, at cabin 13,400.00 USD ○

Preparation for HCQ Navigator, at ROPS 13,400.00 USD ○

fire extinguisher

fire extinguisher 333.00 USD ○

dashboard cover

Dashboard cover, lockable ●

Protective roof

Protective roof, plastic, on ROPS

●

Plastic protective roof on ROPS with integrated FOPS-approved (level I)

818.00 USD

○

edge pressing equipment

Edge pressing and cutting device, right rear

9,160.00 USD

○

Reserve complete wheel

1 spare wheel with smooth tire, Michelin

3,506.00 USD

○

1 spare wheel with smooth tire

2,079.00 USD

○

Mounting device for spare wheel

Mounting device for spare wheel

2,273.00 USD

○

thermal aprons

thermal aprons

7,954.00 USD

○

tire heating

Tire heating with thermal apron

66,057.00 USD

○

Additive sprinkling

Additive sprinkling

3,478.00 USD

○

Anti-freeze protection injection

Anti-freeze protection injection

443.00 USD

○

water filling for C-pipe connection

Pressurized water tank filling

1,898.00 USD

○

tire inflation system

tire inflation system

6,056.00 USD

○

Automatic motor stop

Automatic motor stop

●

HAMM Temperature Meter (HTM)

HAMM Temperature Meter (HTM), rear

1,843.00 USD

○

Camera system

Rear camera system, in case of cabin

4,781.00 USD

○

Back-up alarm

Back-up alarm

●

Telematics system

WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization

●

working lights, ready

Preparation for working lights or rotating beacon

●

working lights

Working lights on ROPS, 4-fold, halogen

1,316.00 USD

○

Working lights on plastic protective roof, 4-fold, halogen

1,316.00 USD

○

Working lights on cabin, 4-fold, LED

1,441.00 USD

○

Working lights on ROPS, 4-fold, LED

1,441.00 USD

○

Working lights on plastic protective roof, 4-fold, LED

1,441.00 USD

○

rotating beacon light

Rotating beacon on cabin, halogen

624.00 USD

○

Rotating beacon on ROPS, halogen

624.00 USD

○

Rotating beacon on plastic protective roof, halogen

624.00 USD

○

License plate holder, illuminated

License plate holder, illuminated

388.00 USD

○

Tire lighting, LED

Tire lighting, LED

624.00 USD

○

lunchbox holder

lunchbox holder

●

Guard rail on maintenance platform

Guard rail on maintenance platform

**Seat longitudinal adjustment**

Seat longitudinal adjustment

**Cup holder**

Cup holder

319.00 USD

**Mobile cooling box**

Mobile cooling box

1,441.00 USD

**Coming home function**

Coming home function

388.00 USD

**Battery isolation switch**

Battery isolation switch, electronic

859.00 USD

**Water tank outlet**

Filling access to water tank, fold-out

**Documentation****Technical documentation for additional set –
country-specific version for North America (US)**

430.00 USD



Price list Series H271

HP 280i Pneumatic tire roller

Scope of supply – basic machine

Operating data

Operating weight, identification plate:

20.959 lbs

Operating weight, max.:

59.469 lbs

Max. working width:

82 in

Min. wheel load per tire, front/rear:

2.359/2.880 lbs

Max. wheel load per tire, front/rear:

7.731/6.769 in

Water tank, capacity:

171,7 Gal

Additive tank, capacity:

7,4 Gal

Diesel engine

Manufacturer:

DEUTZ

Type:

TCD 3.6 L4

Power ISO 14396, kW/PS/rpm:

85,0/115,6/2000

Emission standard:

EU Stage IV / EPA Tier 4

Exhaust gas after-treatment:

DOC-SCR

Operating voltage:

12 V

Drive

Speed, infinitely variable:

0 - 11,8 mph

Climbing ability, with/no ballast:

25/35 %

Steering

Steering angle +/-:

30 °

Oscillation angle +/-:

2 °

Level compensation, front +/-:

2,6 in

- Machine equipment
- 12 V outlets (double)
- 2 large working and rear view mirrors
- Dashboard with displays, indicator lights and function keys
- Tiltable dashboard
- Operating concept Easy Drive
- Compressed water sprinkling system
- ECO mode
- Operator's platform with entry from both sides
- Speed-controlled water sprinkling system
- Leveling of front wheelset
- Maintenance platform
- Spray system with spray bars front and rear
- Water filtering (triple)
- Water tank at front
- Central water drain

HP 280i H271

215,479.00 USD

- Standard
- Optionally available
- Not available
- △ Order from headquarter
- ▲ Preset

HP 280i

Mandatory Options

Variant

Machine with 25 sh. tn. (US) operating weight, upon delivery

Machine with 30 sh. tn. (US) operating weight, upon delivery

15,326.00 USD

Pump

Hydraulics package, standard

-734.00 USD

Hydraulics package for hydraulically-driven options

Braking system

Rear and front axle brake

Tire

1 set of wheels with smooth tires, Michelin

11,377.00 USD

1 set of wheels with smooth tires

Wiper

Brush scraper, foldable

Scraper made of brushes with coconut fiber insert, foldable

194.00 USD

Plastic scraper, foldable

1,136.00 USD

Paintwork

standard color (RAL 2004 + RAL 7015)

Special painting (RAL... + RAL 7015)

2,259.00 USD

Special painting (RAL... + RAL ...)

6,762.00 USD

CE conformity

Version with CE conformity

Warning marker

Warning labels according to ANSI

System of units

Display of the units of measurement, US units

Electrics package for options

Electrics package for options

721.00 USD

Electrics package standard

Construction

ROPS cabin with non-split doors

12,776.00 USD

ROPS cabin with split doors

13,885.00 USD

ROPS, rigid

Air conditioning

heating and airconditioning

11,848.00 USD

Driver seat

Driver seat, black imitation leather

Driver seat, anthracite fabric

346.00 USD

Steering

Steering unit, standard

Steering unit with emergency steering function

1,344.00 USD

Armrest

Multifunction armrest, right, foldable

adjustable steering column

Steering column with comfort exit and tiltable dashboard

Seat adjustment

Seat-operating unit, adjustable sideways and rotatable

Lighting package as per road traffic regulations

Lighting package as per road traffic regulations

Driving mode

Version without anti-slip control

Hydraulic oil

Hydraulic oil

Service documentation

English spare parts and application documentation (EN)

Technical documentation

Technical documentation – country-specific version for North America (US)

Equipment Options

Driver seat backrest extension

Backrest extension for driver's seat, black imitation leather

Safety belt monitoring

Safety belt monitoring

388.00 USD

Armrest comfort setting, left

Armrest comfort setting, left

HCQ navigator

Preparation for HCQ Navigator, at cabin

13,400.00 USD

Preparation for HCQ Navigator, at ROPS

13,400.00 USD

dashboard cover

Dashboard cover, lockable

Protective roof

Protective roof, plastic, on ROPS

●

Plastic protective roof on ROPS with integrated FOPS-approved (level I)

818.00 USD

○

edge pressing equipment

Edge pressing and cutting device, right rear

9,160.00 USD

○

Reserve complete wheel

1 spare wheel with smooth tire, Michelin

3,506.00 USD

○

1 spare wheel with smooth tire

2,079.00 USD

○

Mounting device for spare wheel

Mounting device for spare wheel

2,273.00 USD

○

thermal aprons

thermal aprons

7,954.00 USD

○

tire heating

Tire heating with thermal apron

66,057.00 USD

○

Additive sprinkling

Additive sprinkling

3,478.00 USD

○

Anti-freeze protection injection

Anti-freeze protection injection

443.00 USD

○

water filling for C-pipe connection

Pressurized water tank filling

1,898.00 USD

○

tire inflation system

tire inflation system

6,056.00 USD

○

bypass filter system

bypass filter system

2,494.00 USD

○

Automatic motor stop

Automatic motor stop

●

HAMM Temperature Meter (HTM)

HAMM Temperature Meter (HTM), rear

1,843.00 USD

○

Camera system

Rear camera system, (cabin only)

4,781.00 USD

○

Back-up alarm

Back-up alarm

●

Telematics system

WITOS FleetView (MF3, 4G) – professional telematics solution for machine operation and service optimization

●

working lights, ready

Preparation for working lights or rotating beacon

●

working lights

Working lights on ROPS, 4-fold, halogen

1,316.00 USD

○

Working lights on plastic protective roof, 4-fold, halogen

1,316.00 USD

○

Working lights on cabin, 4-fold, LED

1,441.00 USD

○

Working lights on ROPS, 4-fold, LED

1,441.00 USD

○

Working lights on plastic protective roof, 4-fold, LED

1,441.00 USD

○

rotating beacon light

Rotating beacon on cabin, halogen

624.00 USD

○

Rotating beacon on ROPS, halogen

624.00 USD

○

Rotating beacon on plastic protective roof, halogen

624.00 USD

○

Tire lighting, LED

Tire lighting, LED

624.00 USD

○

lunchbox holder

lunchbox holder

Guard rail on maintenance platform

Guard rail on maintenance platform

Seat longitudinal adjustment

Seat longitudinal adjustment

Coming home function

Coming home function

Battery isolation switch

Battery isolation switch, electronic

Water tank outlet

Filling access to water tank, fold-out



Documentation

**Technical documentation for additional set –
country-specific version for North America (US)**

388.00 USD

859.00 USD

430.00 USD

