

Price list**SUPER 1300-3i (V) / AB 340 V Extending
Screed****Scope of supply – basic machine****Drive unit**

- Deutz diesel engine type TCD 3.6 L4, liquid-cooled, 100 hp (74.4kW) at 2,000 rpm
- The engine complies with the emission standards of the European Union Stage V and USA EPA Tier 4f
- Electronic engine management with ECO mode and variable-speed fan drive

Undercarriage

- Hydrostatic traction drive
- Crawler tracks with rubber pads, ground contact 6 ft. 7 in. x 10 in. (2,000 x 260 mm)
- Low-maintenance multiple-disk brakes lock on automatically without oil pressure

Conveyors and augers

- Wide push-rollers, displaceable forwards by 3 in. (80 mm)
- Material hopper with 22,000 lbs. (10 tonnes) capacity, hopper front can be folded up for service purposes
- Four separate hydrostatic drives for conveyors and augers.
- Conveyors reversible for a short time
- Augers can be reversed and adjusted in height
- Manual override for augers
- Mechanical paddle sensors for controlling the conveyors
- Automatic filling of auger tunnel during a break in paving
- Set of limiting plates, folding and extendable, on the rear of the paver

Electrical system

- On-board voltage 24V

Heating system

- Three-phase generator with generator management
- Heating of screed when diesel engine is running at idle.

Operator's platform

- 2 operator's seats, can be pivoted outwards
- Operator's seats and console can be easily and conveniently adjusted for ergonomic working
- Modular ErgoPlus 3 paver operator's console; large high-contrast colour display ensures easy operation and monitoring of paver functions

- 2 ErgoPlus 3 screed consoles for the right and left-hand screed sides, with colour display for setting up and monitoring paver and screed functions

Miscellaneous

- Machine documentation

Total price of basic configuration				
Bolt-on extension	Pave width	Generator	Price	
SUPER 1300-3i (V) / AB 340 V Extending Screed				
Without bolt-on extensions	3.400	Generator, standard power output	USD	296,897.00
Bolt-on extensions, 2 x 10 in.	3.900	Generator, standard power output	USD	304,389.00
Bolt-on extensions, 2 x 1 ft. 4 in.	4.200	Generator, standard power output	USD	306,623.00

Operator's Stand					
Operator's stand					
Operator's stand without hardtop	Standard	V600_1411_00		USD	0.00
Hardtop with sunshades, VÖGELE design		V600_1411_08		USD	8,806.00
Operator's seats					
Operator's seat, luxury, 2 pieces	Standard	V610_1411_02		USD	0.00
Rear-view mirrors					
Rearview mirror, 2 pieces, paver without hardtop		V606_1411_05		USD	276.00
Electrical System					
Working lights					
Working lights, halogen	Standard	V505_1411_01		USD	0.00
Extra working light					
Working light for auger tunnel, 2 pieces	Standard	V506_1411_01		USD	0.00
Rotary beacon					
All-round beacon, paver without hardtop	Standard	V515_1411_03		USD	0.00
Reverse beeper					
Reverse beeper, acoustic	Standard	V516_1411_01		USD	0.00

Material Transport					
Material Hopper Front					
Hopper Front, Manual		V300_1411_01		USD	-2,195.00
Hopper Front, Hydraulic	Standard	V300_1411_02		USD	0.00
Auger control					
Sensor for auger control, mechanical		V305_1411_01		USD	-3,378.00
Sensor for auger control, sonic, 2 pieces	Standard	V305_1411_02		USD	0.00
PaveDock Assistant					
PaveDock Assistant, machine without hardtop		V324_1411_02		USD	5,218.00
Comfort functions					
Basic Package, without AutoSet	Standard	V212_1411_01		USD	0.00
<i>All functions must be brought into transport position manually.</i>					
Grade And Slope Control					
Automatic grade and slope control					
NIVELTRONIC Plus	Standard	V650_1411_01		USD	0.00
Slope Sensor					
Slope Sensor		V670_1411_01		USD	2,103.00
Bracket for grade sensor					
Bracket for grade sensor, 1 piece		V684_1411_01		USD	1,551.00
<i>For attachment of a mechanical or sonic grade sensor.</i>					
Variable mechanical grade sensor					
Variable mechanical grade sensor (Dash 3), 1 unit		V680_1411_01		USD	4,521.00
Ski 6 ft. 7 in.					
Ski 2m, 1 piece		V689_1411_01		USD	184.00
Single-Cell Sonic Sensor					
Single-cell sonic sensor, 1 piece		V681_1411_01		USD	4,745.00
Multi-Cell Sonic Sensor (CAN/Analog)					
Multi-cell sonic sensor (Dash 3), 1 unit		V683_1411_01		USD	5,743.00
Laser receiver, including mast					
Laser receiver, including mast, 1 piece		V685_1411_01		USD	10,974.00

Tractor Unit / Screed Interface					
Screed Assist					
Screed Assist		V420_1411_01		USD	1,695.00
Machine ascent					
Ascent for tractor unit without screed		V411_1411_01		USD	473.00
Others					
Ventilation system					
Without ventilation system		V907_1411_00		USD	-13,590.00
Ventilation system	Standard	V907_1411_01		USD	0.00
Hydraulic oil					
Hydraulic system filled with mineral oil	Standard	V700_01		USD	0.00
Washdown system					
Washdown system with tank and hose reel		V705_1411_01		USD	3,930.00
Spray gun					
Spray gun		V707_1411_01		USD	237.00
Tools					
Tools		V715_1411_01		USD	591.00
Packing					
Packing for land transport	Standard	V730_01		USD	0.00
Paint finish					
Paint finish, standard VÖGELE Green	Standard	V800_01		USD	0.00
Maintenance kit					
Maintenance kit, 50 service hours		V734_1411_01		USD	263.00
Maintenance kit, 500 service hours		V734_1411_05		USD	223.00
Maintenance kit, 1,000 service hours		V734_1411_06		USD	683.00
WITOS FleetView Telematics System					
WITOS FleetView – professional telematics solution to optimize machine use and servicing	Standard	V777_1411_01		USD	0.00
<p><i>WITOS FleetView includes a control unit (TCU) with a GPS receiver and the usage rights for the web application WITOS FleetView. The web access function offers a compact overview of the machine status including consumption data, working times, position data, error messages and service intervals. (The actual amount of data available depends on the machine type). The availability of WITOS FleetView is guaranteed for 3 years from the date of delivery.</i></p>					

Screed Options					
Crown adjustment					
Crown, mechanical adjustment		V105_27AB_01		USD	-3,575.00
Crown, hydraulic adjustment	Standard	V105_27AB_02		USD	0.00
Edger plates					
Edger plate, 45°, 2 pieces		V132_27AB_01		USD	486.00
End gate ski (90°), 2 pieces		V132_27AB_02		USD	486.00
End gate ski (90°), heated, 2 pieces		V132_27AB_03		USD	1,564.00
System for Paving Width Reduction					
Cut-off shoes, 1 ft. 9 in., 2 pieces		V140_27AB_01		USD	1,485.00

Price list**SUPER 1700-3i (4f) / Carlson EZIV-08 Screed****Scope of supply – basic machine****Drive Unit**

- Liquid-cooled Cummins 4-cylinder diesel engine, QSB4.5-C173, 173 hp (129 kW) at 2,000rpm
- Engine complies with the applicable exhaust emission standards of the European Union (COM) 4 and USA (EPA, CARB) Tier 4f
- Electronic engine management

Undercarriage

- Hydrostatic traction drive
- Crawler tracks with rubber pads, ground contact 8 ft. 6 in. (2,594 x 355mm)
- Low-maintenance multiple-disk brakes, lock on automatically without oil pressure

Material Feed, Conveyors and Augers

- Wide push-rollers, can be displaced forwards by 6 in. (150mm)
- 14.3 tons (13 tonnes) material hopper
- Hopper apron hydraulically operated
- 4 separate hydraulic drives for conveyors and augers
- Mechanical sensors for controlling the conveyors, conveyors can briefly be reversed
- Sonic sensors for controlling the augers
- Augers hydraulically adjustable in height, complete with limiting plates for the auger tunnel and bracing
- Manual auger override
- Automatic filling function for the auger tunnel during breaks in paving
- 3 left hand and 3 right hand 1 ft. (30.5 cm) stackable augers for a total of 6 ft. of augers

Electrical System

- On-board voltage 24V

Screed Heating

- Three-phase AC generator, air-cooled with electronic generator management
- Screed is also heated when diesel engine is running at idle
- Screed heating with electronic temperature control

Operator's Platform

- 2 Luxury operator's seats including seat heating, with side paneling and armrests, can be pivoted outwards

- Operator's seats and console can be easily and conveniently adjusted for ergonomic working
- Modular ErgoPlus 3 paver operator's console; large high-contrast colour display ensures easy operation and monitoring of paver functions
- 2 ErgoPlus 3 screed consoles for the right and left-hand screed sides, with colour display for setting up and monitoring paver and screed functions

Miscellaneous

- Centralized lubrication system for tractor unit
- Machine documentation
- Crown is set hydraulically

Total price of basic configuration **USD 490,243.00**

Operator's Stand

Operator's stand

Operator's stand without hardtop	Standard	V600_1982_04		USD	0.00
----------------------------------	----------	--------------	--	-----	------

Hardtop in VÖGELE design		V600_1982_05		USD	10,517.00
--------------------------	--	--------------	--	-----	-----------

Rear-view mirrors

Rearview mirror, 2 pieces, paver without hardtop		V606_1982_05		USD	1,041.00
--	--	--------------	--	-----	----------

Electrical System

Working lights

Working lights, halogen		V505_1982_01		USD	-3,407.00
-------------------------	--	--------------	--	-----	-----------

Working lights, LED	Standard	V505_1982_03		USD	0.00
---------------------	----------	--------------	--	-----	------

Extra working light

Working light for auger tunnel, 2 pieces	Standard	V506_1982_02		USD	0.00
--	----------	--------------	--	-----	------

Light balloons

Light balloon, LED, 1 piece		V520_1982_03		USD	5,554.00
-----------------------------	--	--------------	--	-----	----------

For extensive and non-glare lighting of night-time job sites.

(Requires the Schuko Power Outlet option)

Bracket for light balloon

Bracket for LED light balloon, 2 pieces		V522_1982_01		USD	476.00
---	--	--------------	--	-----	--------

Sockets

Socket outlet 12 V, 2 pieces	Standard	V510_1982_01		USD	0.00
------------------------------	----------	--------------	--	-----	------

Socket outlet 24 V, 2 pieces		V510_1982_02		USD	-296.00
------------------------------	--	--------------	--	-----	---------

Power outlet

NEMA power outlet, 120 V, speed independent, 1 piece		V512_1982_01		USD	8,254.00
--	--	--------------	--	-----	----------

Rotary beacon

All-round beacon, 1 piece, paver without hardtop	Standard	V515_1982_03		USD	0.00
--	----------	--------------	--	-----	------

Reverse beeper

Reverse beeper, acoustic	Standard	V516_1982_01		USD	0.00
--------------------------	----------	--------------	--	-----	------

Material Transport					
Limiting plates for auger tunnel					
Power Tunnel	Standard	V313_1982_01		USD	0.00
Limiting Plate for Auger Tunnel, 3 ft. 3 in. (1 m)		V313_1982_02		USD	-5,361.00
Material transport					
Material transport; standard	Standard	V320_1982_01		USD	0.00
Push-rollers					
Push-rollers	Standard	V323_1982_01		USD	0.00
Truck Hitch		V323_1982_03		USD	9,411.00
Grade And Slope Control					
Automatic grade and slope control					
NIVELTRONIC Plus	Standard	V650_1982_03		USD	0.00
Niveltronic Plus 3D		V650_1982_04		USD	3,870.00
Slope Sensor					
Slope Sensor	Standard	V670_1982_01		USD	0.00
Bracket for grade sensor					
Bracket for grade sensor, 1 piece		V684_1982_01		USD	1,517.00
<i>For attachment of a mechanical or sonic grade sensor.</i>					
Bracket for grade sensor at VF screed, 1 piece		V684_1982_03		USD	604.00
<i>For attachment of a mechanical or sonic grade sensor.</i>					
Bracket, attachment of grade sensor to screed arm					
Bracket, Attachment of Grade Sensor to Screed Arm, 1 piece		V686_1982_01		USD	579.00
Mounting kit to attach the bracket for the grade sensor for VF screed to the screed arm, 1 piece		V686_1982_03		USD	90.00
Variable mechanical grade sensor					
Variable mechanical grade sensor (Dash 3), 1 unit		V680_1982_01		USD	4,423.00
Ski 6 ft. 7 in.					
Ski 2m, 1 piece		V689_1982_01		USD	180.00
Single-Cell Sonic Sensor					
Single-cell sonic sensor, 1 piece		V681_1982_01		USD	4,641.00
Multi-Cell Sonic Sensor (CAN/Analog)					
Multi-cell sonic sensor (Dash 3), 1 unit		V683_1982_01		USD	5,619.00
Big MultiPlex Ski					
Big MultiPlex Ski, 1 piece		V688_1982_03		USD	29,353.00
Big MultiPlex Ski, electronic					
Big MultiPlex Ski, electronic		V687_1982_01		USD	17,216.00

Tractor Unit / Screed Interface					
Screed lock					
Screed lock, manual		V400_1982_01		USD	-1,273.00
Screed lock, hydraulic	Standard	V400_1982_02		USD	0.00
Screed Arm Guidance					
Standard Guide for Screed Arm	Standard	V405_1982_01		USD	0.00
Guide rollers for screed arm		V405_1982_02		USD	1,247.00
Screed Assist					
Screed Assist		V420_1982_01		USD	1,659.00
Machine ascent					
Ascent for tractor unit without screed		V411_1982_01		USD	733.00
Others					
Low-emissions package					
EcoPlus low-emissions package	Standard	V202_1982_05		USD	0.00
Washdown system					
Washdown system with tank and hose reel	Standard	V705_1982_02		USD	0.00
Tools					
Tools		V715_1982_01		USD	579.00
Packing					
Packing for transport by sea	Standard	V730_02		USD	0.00
Paint finish					
Paint finish, standard VÖGELE Green	Standard	V800_01		USD	0.00
Grease filling, lubrication system					
Adapter for connecting grease gun		V720_1982_01		USD	591.00
Ventilation system					
Ventilation system, machine without hardtop	Standard	V907_1982_01		USD	0.00
Maintenance kit					
Maintenance kit, 50 service hours		V734_1982_01		USD	296.00
Maintenance kit, 500 service hours		V734_1982_05		USD	411.00
Maintenance kit, 1,000 service hours		V734_1982_06		USD	746.00

RoadScan					
<p>VÖGELE RoadScan Kit</p> <p><i>The Kit includes the pyrometer to measure the base temperature before paving, a USB port on the paver operator's ErgoPlus 3 console to export the saved data, the bracket for mounting on the paver roof (Dash 3), the cabling and software which can be activated in ErgoPlus 3. (The Kit is essential for operation of VÖGELE RoadScan.)</i></p>		V240_1982_01		USD	3,163.00
<p>VÖGELE RoadScan, temperature-measurement system</p> <p><i>The high-precision infrared camera is the key component of VÖGELE RoadScan. It scans the asphalt pavement behind the screed over the entire area. The housing of the infrared camera also accommodates a high-precision GPS receiver. It records the exact position of the temperature data. (Requires the option VÖGELE RoadScan Kit)</i></p>		V240_1982_02		USD	39,343.00
<p>VÖGELE RoadScan, weather station</p> <p><i>The weather station displays and documents the wind speed, wind direction, ambient temperature, air pressure and humidity.</i></p>		V240_1982_03		USD	2,931.00
WITOS FleetView Telematics System					
<p>WITOS FleetView – professional telematics solution to optimize machine use and servicing</p> <p><i>WITOS FleetView includes a control unit (TCU) with a GPS receiver and the usage rights for the web application WITOS FleetView. The web access function offers a compact overview of the machine status including consumption data, working times, position data, error messages and service intervals. (The actual amount of data available depends on the machine type). The availability of WITOS FleetView is guaranteed for 3 years from the date of delivery.</i></p>	Standard	V777_1982_03		USD	0.00

Screed Options					
Extending unit, right side					
Extending unit without berm, right	Standard	V103_EZ04_00		USD	0.00
Berme 305 mm (12"), RH		V103_EZ04_01		USD	4,860.00
Berme 457 mm (18"), RH		V103_EZ04_02		USD	4,860.00
Berme 610 mm (24"),RH		V103_EZ04_03		USD	4,860.00
Extending unit, left side					
Extending unit without berm, left	Standard	V104_EZ04_00		USD	0.00
Berme 305 mm (12"), LH		V104_EZ04_01		USD	4,860.00
Berme 457 mm (18"), LH		V104_EZ04_02		USD	4,860.00
Berme 610 mm (24"), LH		V104_EZ04_03		USD	4,860.00
Screed with berm					
Screed with berm		V108_EZ04_01		USD	489.00
Bolt-On Extension, Right-Hand Side, 30.5cm		V101_EZ04_12R		USD	2,237.00
Bolt-On Extension, Right-Hand Side, 45.7cm		V101_EZ04_18R		USD	2,237.00
Bolt-On Extension, Right-Hand Side, 61cm		V101_EZ04_24R		USD	2,237.00
Bolt-On Extension, Left-Hand Side, 30.5cm		V101_EZ04_12L		USD	2,237.00
Bolt-On Extension, Left-Hand Side, 45.7cm		V101_EZ04_18L		USD	2,237.00
Bolt-On Extension, Left-Hand Side, 61cm		V101_EZ04_24L		USD	2,237.00
Y-Cable for Coupling Bolt-On Extensions		V102_EZ04		USD	0.00
Wide Width Support Kit					
Wide Width Support Kit		V142_EZ04_01		USD	0.00
Heating rod for end gate ski					
Heating rod for end gate ski		V131_EZ04_01		USD	1,234.00
System for Paving Width Reduction					
Cut-Off Shoes, Left-Hand Side		V140_EZ04_01		USD	399.00
Cut-Off Shoes, Right-Hand Side		V140_EZ04_02		USD	399.00
Cut-Off Shoes, Neutral		V141_EZ04		USD	399.00
Thickness Control Screws					
Angle of attack adjustment, counterclockwise to increase mat thickness	Standard	V150_EZ04_01		USD	0.00
Angle of attack adjustment, clockwise to increase mat thickness		V150_EZ04_02		USD	0.00

Price list**SUPER 1700-3i (4f) / Extending Screed VF
500-3 V****Scope of supply – basic machine****Drive Unit**

- Liquid-cooled Cummins 4-cylinder diesel engine, QSB4.5-C173, 173 hp (129 kW) at 2,000rpm
- Engine complies with the applicable exhaust emission standards of the European Union (COM) 4 and USA (EPA, CARB) Tier 4f
- Electronic engine management

Undercarriage

- Hydrostatic traction drive
- Crawler tracks with rubber pads, ground contact 8 ft. 6 in. (2,594 x 355mm)
- Low-maintenance multiple-disk brakes, lock on automatically without oil pressure

Material Feed, Conveyors and Augers

- Wide push-rollers, can be displaced forwards by 6 in. (150mm)
- 14.3 tons (13 tonnes) material hopper
- Hopper apron hydraulically operated
- 4 separate hydraulic drives for conveyors and augers
- Mechanical sensors for controlling the conveyors, conveyors can briefly be reversed
- Sonic sensors for controlling the augers
- Augers hydraulically adjustable in height, complete with limiting plates for the auger tunnel and bracing
- Manual auger override
- Automatic filling function for the auger tunnel during breaks in paving
- 3 left hand and 3 right hand 1 ft. (30.5 cm) stackable augers for a total of 6 ft. of augers

Electrical System

- On-board voltage 24V

Screed Heating

- Three-phase AC generator, air-cooled with electronic generator management
- Screed is also heated when diesel engine is running at idle
- Screed heating with electronic temperature control

Operator's Platform

- 2 Luxury operator's seats including seat heating, with side paneling and armrests, can be pivoted outwards

- Operator's seats and console can be easily and conveniently adjusted for ergonomic working
- Modular ErgoPlus 3 paver operator's console; large high-contrast colour display ensures easy operation and monitoring of paver functions
- 2 ErgoPlus 3 screed consoles for the right and left-hand screed sides, with colour display for setting up and monitoring paver and screed functions

Miscellaneous

- Centralized lubrication system for tractor unit
- Machine documentation
- Crown is set hydraulically

Total price of basic configuration

Bolt-on extension	Pave width	Generator	Price	
SUPER 1700-3i (4f) / Extending Screed VF 500-3 V				
Without bolt-on extensions	4.750	Generator, standard power output	USD	489,986.00
Bolt-on extensions, 2 x 1 ft.	5.350	Generator, standard power output	USD	498,600.00
Bolt-on extensions, 2 x 2 ft.	5.950	Generator, standard power output	USD	505,543.00

Operator's Stand

Operator's stand

Operator's stand without hardtop	Standard	V600_1982_04		USD	0.00
Hardtop in VÖGELE design		V600_1982_05		USD	10,517.00

Rear-view mirrors

Rearview mirror, 2 pieces, paver without hardtop		V606_1982_05		USD	1,041.00
--	--	--------------	--	-----	----------

Electrical System

Working lights

Working lights, halogen		V505_1982_01		USD	-3,407.00
Working lights, LED	Standard	V505_1982_03		USD	0.00

Extra working light

Working light for auger tunnel, 2 pieces	Standard	V506_1982_02		USD	0.00
--	----------	--------------	--	-----	------

Light balloons

Light balloon, LED, 1 piece		V520_1982_03		USD	5,554.00
<i>For extensive and non-glare lighting of night-time job sites.</i> <i>(Requires the Schuko Power Outlet option)</i>					

Bracket for light balloon					
Bracket for LED light balloon, 2 pieces		V522_1982_01		USD	476.00
Sockets					
Socket outlet 12 V, 2 pieces	Standard	V510_1982_01		USD	0.00
Socket outlet 24 V, 2 pieces		V510_1982_02		USD	-296.00
Power outlet					
NEMA power outlet, 120 V, speed independent, 1 piece		V512_1982_01		USD	8,254.00
Rotary beacon					
All-round beacon, 1 piece, paver without hardtop	Standard	V515_1982_03		USD	0.00
Reverse beeper					
Reverse beeper, acoustic	Standard	V516_1982_01		USD	0.00
Material Transport					
Limiting plates for auger tunnel					
Power Tunnel	Standard	V313_1982_01		USD	0.00
Limiting Plate for Auger Tunnel, 3 ft. 3 in. (1 m)		V313_1982_02		USD	-5,361.00
Material transport					
Material transport; standard	Standard	V320_1982_01		USD	0.00
Push-rollers					
Push-rollers	Standard	V323_1982_01		USD	0.00
Truck Hitch		V323_1982_03		USD	9,411.00
Grade And Slope Control					
Automatic grade and slope control					
NIVELTRONIC Plus	Standard	V650_1982_03		USD	0.00
Niveltronic Plus 3D		V650_1982_04		USD	3,870.00
Slope Sensor					
Slope Sensor	Standard	V670_1982_01		USD	0.00
Bracket for grade sensor					
Bracket for grade sensor, 1 piece		V684_1982_01		USD	1,517.00
<i>For attachment of a mechanical or sonic grade sensor.</i>					
Bracket for grade sensor at VF screed, 1 piece		V684_1982_03		USD	604.00
<i>For attachment of a mechanical or sonic grade sensor.</i>					

Bracket, attachment of grade sensor to screed arm					
Bracket, Attachment of Grade Sensor to Screed Arm, 1 piece		V686_1982_01		USD	579.00
Mounting kit to attach the bracket for the grade sensor for VF screed to the screed arm, 1 piece		V686_1982_03		USD	90.00
Variable mechanical grade sensor					
Variable mechanical grade sensor (Dash 3), 1 unit		V680_1982_01		USD	4,423.00
Ski 6 ft. 7 in.					
Ski 2m, 1 piece		V689_1982_01		USD	180.00
Single-Cell Sonic Sensor					
Single-cell sonic sensor, 1 piece		V681_1982_01		USD	4,641.00
Multi-Cell Sonic Sensor (CAN/Analog)					
Multi-cell sonic sensor (Dash 3), 1 unit		V683_1982_01		USD	5,619.00
Big MultiPlex Ski					
Big MultiPlex Ski, 1 piece		V688_1982_03		USD	29,353.00
Big MultiPlex Ski, electronic					
Big MultiPlex Ski, electronic		V687_1982_01		USD	17,216.00
Tractor Unit / Screed Interface					
Screed lock					
Screed lock, manual		V400_1982_01		USD	-1,273.00
Screed lock, hydraulic	Standard	V400_1982_02		USD	0.00
Screed Arm Guidance					
Standard Guide for Screed Arm	Standard	V405_1982_01		USD	0.00
Guide rollers for screed arm		V405_1982_02		USD	1,247.00
Screed Assist					
Screed Assist		V420_1982_01		USD	1,659.00
Machine ascent					
Ascent for tractor unit without screed		V411_1982_01		USD	733.00

Others					
Low-emissions package					
EcoPlus low-emissions package	Standard	V202_1982_05		USD	0.00
Washdown system					
Washdown system with tank and hose reel	Standard	V705_1982_02		USD	0.00
Tools					
Tools		V715_1982_01		USD	579.00
Packing					
Packing for transport by sea	Standard	V730_02		USD	0.00
Paint finish					
Paint finish, standard VÖGELE Green	Standard	V800_01		USD	0.00
Paint finish, client's design		V800_02		USD	2,533.00
Grease filling, lubrication system					
Adapter for connecting grease gun		V720_1982_01		USD	591.00
Ventilation system					
Ventilation system, machine without hardtop	Standard	V907_1982_01		USD	0.00
Maintenance kit					
Maintenance kit, 50 service hours		V734_1982_01		USD	296.00
Maintenance kit, 500 service hours		V734_1982_05		USD	411.00
Maintenance kit, 1,000 service hours		V734_1982_06		USD	746.00
RoadScan					
VÖGELE RoadScan Kit		V240_1982_01		USD	3,163.00
<i>The Kit includes the pyrometer to measure the base temperature before paving, a USB port on the paver operator's ErgoPlus 3 console to export the saved data, the bracket for mounting on the paver roof (Dash 3), the cabling and software which can be activated in ErgoPlus 3. (The Kit is essential for operation of VÖGELE RoadScan.)</i>					
VÖGELE RoadScan, temperature-measurement system		V240_1982_02		USD	39,343.00
<i>The high-precision infrared camera is the key component of VÖGELE RoadScan. It scans the asphalt pavement behind the screed over the entire area. The housing of the infrared camera also accommodates a high-precision GPS receiver. It records the exact position of the temperature data. (Requires the option VÖGELE RoadScan Kit)</i>					

VÖGELE RoadScan, weather station		V240_1982_03		USD	2,931.00
<i>The weather station displays and documents the wind speed, wind direction, ambient temperature, air pressure and humidity.</i>					
WITOS FleetView Telematics System					
WITOS FleetView – professional telematics solution to optimize machine use and servicing	Standard	V777_1982_03		USD	0.00
<i>WITOS FleetView includes a control unit (TCU) with a GPS receiver and the usage rights for the web application WITOS FleetView. The web access function offers a compact overview of the machine status including consumption data, working times, position data, error messages and service intervals. (The actual amount of data available depends on the machine type). The availability of WITOS FleetView is guaranteed for 3 years from the date of delivery.</i>					
Screed Options					
Measuring sensors, screed					
Display of vibration speed		V120_30AB_02		USD	874.00
Extending unit, right side					
Extending unit without berm, right	Standard	V103_30AB_00		USD	0.00
Extending unit, left side					
Extending unit without berm, left	Standard	V104_30AB_00		USD	0.00
Heating rod for end gate ski					
Heating rod for end gate ski		V131_30AB_01		USD	990.00
System for Paving Width Reduction					
Cut-off shoes, 6 in., 2 pieces		V141_30AB_01		USD	617.00
Cut-off shoes, 6 in., 4 pieces		V141_30AB_02		USD	1,067.00
Cut-off shoes, 6 in., 6 pieces		V141_30AB_03		USD	1,530.00
Cut-off shoes, 6 in., 8 pieces		V141_30AB_04		USD	1,980.00
Angle of attack adjustment					
Angle of attack adjustment, counterclockwise to increase mat thickness	Standard	V150_30AB_01		USD	0.00
Angle of attack adjustment, clockwise to increase mat thickness		V150_30AB_02		USD	0.00

Price list**SUPER 1703-3i (4f) / Carlson EZIV-08 Screed****Scope of supply – basic machine****Drive Unit**

- Liquid-cooled Cummins 4-cylinder diesel engine, QSB4.5-C173, 173 hp (129 kW) at 2,000rpm
- Engine complies with the applicable exhaust emission standards of the European Union (COM) 4 and USA (EPA, CARB) Tier 4f
- Electronic engine management

Undercarriage

- Hydrostatic traction drive (separate drives for powered wheels) with electronic traction control
- 2 powered rear wheels with tubeless tyres 14.00 R 25
- 4 front wheels of solid elastic rubber, 540/300-390, mounted on bogies
- Second steering axle, powered (6x4)
- Extremely small turning radius (11 ft. 5 in. (3.5 m) outside) thanks to "Pivot Steer"
- Service brake (multiple-disk brake, hydraulically pressurized) and hydraulically actuated parking brake

Material Feed, Conveyors and Augers

- Wide push-rollers, can be displaced forwards by 6 in. (150mm)
- 14.3 tons (13 tonnes) material hopper
- Hopper apron hydraulically operated
- 4 separate hydraulic drives for conveyors and augers
- Mechanical sensors for controlling the conveyors, conveyors can briefly be reversed
- Sonic sensors for controlling the augers
- Augers hydraulically adjustable in height, complete with limiting plates for the auger tunnel and bracing
- Manual auger override
- Automatic filling function for the auger tunnel during breaks in paving
- 3 left hand and 3 right hand 1 ft. (30.5 cm) stackable augers for a total of 6 ft. of augers

Electrical System

- On-board voltage 24V

Screed Heating

- Three-phase AC generator, air-cooled with electronic generator management
- Screed is also heated when diesel engine is running at idle

- Screed heating with electronic temperature control

Operator's Platform

- 2 Luxury operator's seats including seat heating, with side paneling and armrests, can be pivoted outwards
- Operator's seats and console can be easily and conveniently adjusted for ergonomic working
- Modular ErgoPlus 3 paver operator's console; large high-contrast colour display ensures easy operation and monitoring of paver functions
- 2 ErgoPlus 3 screed consoles for the right and left-hand screed sides, with colour display for setting up and monitoring paver and screed functions

Miscellaneous

- Centralized lubrication system for tractor unit
- Machine documentation
- Crown is set hydraulically

Total price of basic configuration **USD 449,680.00**

Operator's Stand

Operator's stand

Operator's stand without hardtop	Standard	V600_1283_04		USD	0.00
Hardtop in VÖGELE design		V600_1283_05		USD	10,517.00

Rear-view mirrors

Rearview mirror, 2 pieces, paver without hardtop		V606_1283_05		USD	1,041.00
--	--	--------------	--	-----	----------

Electrical System

Working lights

Working lights, halogen		V505_1283_01		USD	-3,407.00
Working lights, LED	Standard	V505_1283_03		USD	0.00

Extra working light

Working light for auger tunnel, 2 pieces	Standard	V506_1283_02		USD	0.00
--	----------	--------------	--	-----	------

Light balloons

Light balloon, LED, 1 piece		V520_1283_03		USD	5,554.00
<i>For extensive and non-glare lighting of night-time job sites.</i> <i>(Requires the Schuko Power Outlet option)</i>					

Bracket for light balloon

Bracket for LED light balloon, 2 pieces		V522_1283_01		USD	476.00
---	--	--------------	--	-----	--------

Sockets					
Socket outlet 12 V, 2 pieces	Standard	V510_1283_01		USD	0.00
Socket outlet 24 V, 2 pieces		V510_1283_02		USD	-296.00
Power outlet					
NEMA power outlet, 120 V, speed independent, 1 piece		V512_1283_01		USD	8,254.00
Rotary beacons					
All-round beacon, 1 piece, paver without hardtop	Standard	V515_1283_03		USD	0.00
Reverse beeper					
Reverse beeper, acoustic	Standard	V516_1283_01		USD	0.00
Material Transport					
Limiting plates for auger tunnel					
Power Tunnel		V313_1283_01		USD	6,557.00
Limiting Plate for Auger Tunnel, 3 ft. 3 in. (1 m)		V313_1283_02		USD	1,196.00
Material transport					
Material transport; standard	Standard	V320_1283_01		USD	0.00
Push-rollers					
Push-rollers	Standard	V323_1283_01		USD	0.00
Truck Hitch		V323_1283_03		USD	9,424.00
Grade And Slope Control					
Automatic grade and slope control					
NIVELTRONIC Plus	Standard	V650_1283_03		USD	0.00
Niveltronic Plus 3D		V650_1283_04		USD	3,870.00
Slope Sensor					
Slope Sensor	Standard	V670_1283_01		USD	0.00
Bracket for grade sensor					
Bracket for grade sensor, 1 piece		V684_1283_01		USD	1,517.00
<i>For attachment of a mechanical or sonic grade sensor.</i>					
Bracket for grade sensor at VF screed, 1 piece		V684_1283_03		USD	604.00
<i>For attachment of a mechanical or sonic grade sensor.</i>					
Bracket, attachment of grade sensor to screed arm					
Bracket, Attachment of Grade Sensor to Screed Arm, 1 piece		V686_1283_01		USD	579.00
Mounting kit to attach the bracket for the grade sensor for VF screed to the screed arm, 1 piece		V686_1283_03		USD	90.00
Variable mechanical grade sensor					
Variable mechanical grade sensor (Dash 3), 1 unit		V680_1283_01		USD	4,423.00

Ski 6 ft. 7 in.					
Ski 2m, 1 piece		V689_1283_01		USD	180.00
Single-Cell Sonic Sensor					
Single-cell sonic sensor, 1 piece		V681_1283_01		USD	4,641.00
Multi-Cell Sonic Sensor (CAN/Analog)					
Multi-cell sonic sensor (Dash 3), 1 unit		V683_1283_01		USD	5,619.00
Big MultiPlex Ski					
Big MultiPlex Ski, 1 piece		V688_1283_03		USD	29,353.00
Big MultiPlex Ski, electronic					
Big MultiPlex Ski, electronic		V687_1283_01		USD	17,216.00
Tractor Unit / Screed Interface					
Screed lock					
Screed lock, manual		V400_1283_01		USD	-1,273.00
Screed lock, hydraulic	Standard	V400_1283_02		USD	0.00
Screed Arm Guidance					
Standard Guide for Screed Arm	Standard	V405_1283_01		USD	0.00
Guide rollers for screed arm		V405_1283_02		USD	1,247.00
Screed Assist					
Screed Assist	Standard	V420_1283_01		USD	0.00
Machine ascent					
Ascent for tractor unit without screed		V411_1283_01		USD	733.00
Others					
Low-emissions package					
EcoPlus low-emissions package	Standard	V202_1283_05		USD	0.00
Traction drive					
Traction drive (6x4)	Standard	V215_1283_02		USD	0.00
Traction drive (6x6)		V215_1283_03		USD	10,376.00
Washdown system					
Washdown system with tank and hose reel	Standard	V705_1283_02		USD	0.00
Tools					
Tools		V715_1283_01		USD	579.00
Packing					
Packing for transport by sea	Standard	V730_02		USD	0.00
Paint finish					
Paint finish, standard VÖGELE Green	Standard	V800_01		USD	0.00
Grease filling, lubrication system					
Adapter for connecting grease gun		V720_1283_01		USD	591.00
Ventilation system					
Ventilation system, machine without hardtop	Standard	V907_1283_01		USD	0.00

Maintenance kit					
Maintenance kit, 50 service hours		V734_1283_01		USD	296.00
Maintenance kit, 500 service hours		V734_1283_05		USD	411.00
Maintenance kit, 1,000 service hours		V734_1283_06		USD	746.00
RoadScan					
VÖGELE RoadScan Kit <i>The Kit includes the pyrometer to measure the base temperature before paving, a USB port on the paver operator's ErgoPlus 3 console to export the saved data, the bracket for mounting on the paver roof (Dash 3), the cabling and software which can be activated in ErgoPlus 3. (The Kit is essential for operation of VÖGELE RoadScan.)</i>		V240_1283_01		USD	3,163.00
VÖGELE RoadScan, temperature-measurement system <i>The high-precision infrared camera is the key component of VÖGELE RoadScan. It scans the asphalt pavement behind the screed over the entire area. The housing of the infrared camera also accommodates a high-precision GPS receiver. It records the exact position of the temperature data. (Requires the option VÖGELE RoadScan Kit)</i>		V240_1283_02		USD	39,343.00
VÖGELE RoadScan, weather station <i>The weather station displays and documents the wind speed, wind direction, ambient temperature, air pressure and humidity.</i>		V240_1283_03		USD	2,931.00

WITOS FleetView Telematics System					
WITOS FleetView – professional telematics solution to optimize machine use and servicing	Standard	V777_1283_03		USD	0.00
<p><i>WITOS FleetView includes a control unit (TCU) with a GPS receiver and the usage rights for the web application WITOS FleetView. The web access function offers a compact overview of the machine status including consumption data, working times, position data, error messages and service intervals. (The actual amount of data available depends on the machine type). The availability of WITOS FleetView is guaranteed for 3 years from the date of delivery.</i></p>					
Screed Options					
Extending unit, right side					
Extending unit without berm, right	Standard	V103_EZ04_00		USD	0.00
Berme 305 mm (12"), RH		V103_EZ04_01		USD	4,860.00
Berme 457 mm (18"), RH		V103_EZ04_02		USD	4,860.00
Berme 610 mm (24"),RH		V103_EZ04_03		USD	4,860.00
Extending unit, left side					
Extending unit without berm, left	Standard	V104_EZ04_00		USD	0.00
Berme 305 mm (12"), LH		V104_EZ04_01		USD	4,860.00
Berme 457 mm (18"), LH		V104_EZ04_02		USD	4,860.00
Berme 610 mm (24"), LH		V104_EZ04_03		USD	4,860.00
Screed with berm					
Screed with berm		V108_EZ04_01		USD	489.00
Bolt-On Extension, Right-Hand Side, 30.5cm		V101_EZ04_12R		USD	2,237.00
Bolt-On Extension, Right-Hand Side, 45.7cm		V101_EZ04_18R		USD	2,237.00
Bolt-On Extension, Right-Hand Side, 61cm		V101_EZ04_24R		USD	2,237.00
Bolt-On Extension, Left-Hand Side, 30.5cm		V101_EZ04_12L		USD	2,237.00
Bolt-On Extension, Left-Hand Side, 45.7cm		V101_EZ04_18L		USD	2,237.00
Bolt-On Extension, Left-Hand Side, 61cm		V101_EZ04_24L		USD	2,237.00
Y-Cable for Coupling Bolt-On Extensions		V102_EZ04		USD	0.00

Wide Width Support Kit					
Wide Width Support Kit		V142_EZ04_01		USD	0.00
Heating rod for end gate ski					
Heating rod for end gate ski		V131_EZ04_01		USD	1,234.00
System for Paving Width Reduction					
Cut-Off Shoes, Left-Hand Side		V140_EZ04_01		USD	399.00
Cut-Off Shoes, Right-Hand Side		V140_EZ04_02		USD	399.00
Cut-Off Shoes, Neutral	V141_EZ04		USD		399.00
Thickness Control Screws					
Angle of attack adjustment, counterclockwise to increase mat thickness	Standard	V150_EZ04_01		USD	0.00
Angle of attack adjustment, clockwise to increase mat thickness		V150_EZ04_02		USD	0.00

Price list**SUPER 1703-3i (4f) / Extending Screed VF
500-3 V****Scope of supply – basic machine****Drive Unit**

- Liquid-cooled Cummins 4-cylinder diesel engine, QSB4.5-C173, 173 hp (129 kW) at 2,000rpm
- Engine complies with the applicable exhaust emission standards of the European Union (COM) 4 and USA (EPA, CARB) Tier 4f
- Electronic engine management

Undercarriage

- Hydrostatic traction drive (separate drives for powered wheels) with electronic traction control
- 2 powered rear wheels with tubeless tyres 14.00 R 25
- 4 front wheels of solid elastic rubber, 540/300-390, mounted on bogies
- Second steering axle, powered (6x4)
- Extremely small turning radius (11 ft. 5 in. (3.5 m) outside) thanks to "Pivot Steer"
- Service brake (multiple-disk brake, hydraulically pressurized) and hydraulically actuated parking brake

Material Feed, Conveyors and Augers

- Wide push-rollers, can be displaced forwards by 6 in. (150mm)
- 14.3 tons (13 tonnes) material hopper
- Hopper apron hydraulically operated
- 4 separate hydraulic drives for conveyors and augers
- Mechanical sensors for controlling the conveyors, conveyors can briefly be reversed
- Sonic sensors for controlling the augers
- Augers hydraulically adjustable in height, complete with limiting plates for the auger tunnel and bracing
- Manual auger override
- Automatic filling function for the auger tunnel during breaks in paving
- 3 left hand and 3 right hand 1 ft. (30.5 cm) stackable augers for a total of 6 ft. of augers

Electrical System

- On-board voltage 24V

Screed Heating

- Three-phase AC generator, air-cooled with electronic generator management

- Screed is also heated when diesel engine is running at idle
- Screed heating with electronic temperature control

Operator's Platform

- 2 Luxury operator's seats including seat heating, with side paneling and armrests, can be pivoted outwards
- Operator's seats and console can be easily and conveniently adjusted for ergonomic working
- Modular ErgoPlus 3 paver operator's console; large high-contrast colour display ensures easy operation and monitoring of paver functions
- 2 ErgoPlus 3 screed consoles for the right and left-hand screed sides, with colour display for setting up and monitoring paver and screed functions

Miscellaneous

- Centralized lubrication system for tractor unit
- Machine documentation
- Crown is set hydraulically

Total price of basic configuration				
Bolt-on extension	Pave width	Generator	Price	
SUPER 1703-3i (4f) / Extending Screed VF 500-3 V				
Without bolt-on extensions	4.750	Generator, standard power output	USD	447,920.00
Bolt-on extensions, 2 x 1 ft.	5.350	Generator, standard power output	USD	456,091.00
Bolt-on extensions, 2 x 2 ft.	5.950	Generator, standard power output	USD	462,754.00

Operator's Stand					
Operator's stand					
Operator's stand without hardtop	Standard	V600_1283_04		USD	0.00
Hardtop in VÖGELE design		V600_1283_05		USD	10,517.00
Rear-view mirrors					
Rearview mirror, 2 pieces, paver without hardtop		V606_1283_05		USD	1,041.00
Electrical System					
Working lights					
Working lights, halogen		V505_1283_01		USD	-3,407.00
Working lights, LED	Standard	V505_1283_03		USD	0.00
Extra working light					
Working light for auger tunnel, 2 pieces	Standard	V506_1283_02		USD	0.00

Light balloons					
Light balloon, LED, 1 piece <i>For extensive and non-glare lighting of night-time job sites.</i> <i>(Requires the Schuko Power Outlet option)</i>		V520_1283_03		USD	5,554.00
Bracket for light balloon					
Bracket for LED light balloon, 2 pieces		V522_1283_01		USD	476.00
Sockets					
Socket outlet 12 V, 2 pieces	Standard	V510_1283_01		USD	0.00
Socket outlet 24 V, 2 pieces		V510_1283_02		USD	-296.00
Power outlet					
NEMA power outlet, 120 V, speed independent, 1 piece		V512_1283_01		USD	8,254.00
Rotary beacons					
All-round beacon, 1 piece, paver without hardtop	Standard	V515_1283_03		USD	0.00
Reverse beeper					
Reverse beeper, acoustic	Standard	V516_1283_01		USD	0.00
Material Transport					
Limiting plates for auger tunnel					
Power Tunnel		V313_1283_01		USD	6,557.00
Limiting Plate for Auger Tunnel, 3 ft. 3 in. (1 m)		V313_1283_02		USD	1,196.00
Material transport					
Material transport; standard	Standard	V320_1283_01		USD	0.00
Push-rollers					
Push-rollers	Standard	V323_1283_01		USD	0.00
Truck Hitch		V323_1283_03		USD	9,424.00
Grade And Slope Control					
Automatic grade and slope control					
NIVELTRONIC Plus	Standard	V650_1283_03		USD	0.00
Niveltronic Plus 3D		V650_1283_04		USD	3,870.00

Slope Sensor					
Slope Sensor	Standard	V670_1283_01		USD	0.00
Bracket for grade sensor					
Bracket for grade sensor, 1 piece <i>For attachment of a mechanical or sonic grade sensor.</i>		V684_1283_01		USD	1,517.00
Bracket for grade sensor at VF screed, 1 piece <i>For attachment of a mechanical or sonic grade sensor.</i>		V684_1283_03		USD	604.00
Bracket, attachment of grade sensor to screed arm					
Bracket, Attachment of Grade Sensor to Screed Arm, 1 piece		V686_1283_01		USD	579.00
Mounting kit to attach the bracket for the grade sensor for VF screed to the screed arm, 1 piece		V686_1283_03		USD	90.00
Variable mechanical grade sensor					
Variable mechanical grade sensor (Dash 3), 1 unit		V680_1283_01		USD	4,423.00
Ski 6 ft. 7 in.					
Ski 2m, 1 piece		V689_1283_01		USD	180.00
Single-Cell Sonic Sensor					
Single-cell sonic sensor, 1 piece		V681_1283_01		USD	4,641.00
Multi-Cell Sonic Sensor (CAN/Analog)					
Multi-cell sonic sensor (Dash 3), 1 unit		V683_1283_01		USD	5,619.00
Big MultiPlex Ski					
Big MultiPlex Ski, 1 piece		V688_1283_03		USD	29,353.00
Big MultiPlex Ski, electronic					
Big MultiPlex Ski, electronic		V687_1283_01		USD	17,216.00
Tractor Unit / Screed Interface					
Screed lock					
Screed lock, manual		V400_1283_01		USD	-1,273.00
Screed lock, hydraulic	Standard	V400_1283_02		USD	0.00
Screed Arm Guidance					
Standard Guide for Screed Arm	Standard	V405_1283_01		USD	0.00
Guide rollers for screed arm		V405_1283_02		USD	1,247.00
Screed Assist					
Screed Assist	Standard	V420_1283_01		USD	0.00
Machine ascent					
Ascent for tractor unit without screed		V411_1283_01		USD	733.00

Others					
Low-emissions package					
EcoPlus low-emissions package	Standard	V202_1283_05		USD	0.00
Traction drive					
Traction drive (6x4)	Standard	V215_1283_02		USD	0.00
Traction drive (6x6)		V215_1283_03		USD	10,376.00
Washdown system					
Washdown system with tank and hose reel	Standard	V705_1283_02		USD	0.00
Tools					
Tools		V715_1283_01		USD	579.00
Packing					
Packing for transport by sea	Standard	V730_02		USD	0.00
Paint finish					
Paint finish, standard VÖGELE Green	Standard	V800_01		USD	0.00
Grease filling, lubrication system					
Adapter for connecting grease gun		V720_1283_01		USD	591.00
Ventilation system					
Ventilation system, machine without hardtop	Standard	V907_1283_01		USD	0.00
Maintenance kit					
Maintenance kit, 50 service hours		V734_1283_01		USD	296.00
Maintenance kit, 500 service hours		V734_1283_05		USD	411.00
Maintenance kit, 1,000 service hours		V734_1283_06		USD	746.00
RoadScan					
VÖGELE RoadScan Kit		V240_1283_01		USD	3,163.00
<i>The Kit includes the pyrometer to measure the base temperature before paving, a USB port on the paver operator's ErgoPlus 3 console to export the saved data, the bracket for mounting on the paver roof (Dash 3), the cabling and software which can be activated in ErgoPlus 3. (The Kit is essential for operation of VÖGELE RoadScan.)</i>					

<p>VÖGELE RoadScan, temperature-measurement system</p> <p><i>The high-precision infrared camera is the key component of VÖGELE RoadScan. It scans the asphalt pavement behind the screed over the entire area. The housing of the infrared camera also accommodates a high-precision GPS receiver. It records the exact position of the temperature data. (Requires the option VÖGELE RoadScan Kit)</i></p>		V240_1283_02		USD	39,343.00
<p>VÖGELE RoadScan, weather station</p> <p><i>The weather station displays and documents the wind speed, wind direction, ambient temperature, air pressure and humidity.</i></p>		V240_1283_03		USD	2,931.00
WITOS FleetView Telematics System					
<p>WITOS FleetView – professional telematics solution to optimize machine use and servicing</p> <p><i>WITOS FleetView includes a control unit (TCU) with a GPS receiver and the usage rights for the web application WITOS FleetView. The web access function offers a compact overview of the machine status including consumption data, working times, position data, error messages and service intervals. (The actual amount of data available depends on the machine type). The availability of WITOS FleetView is guaranteed for 3 years from the date of delivery.</i></p>	Standard	V777_1283_03		USD	0.00

Screed Options					
Measuring sensors, screed					
Display of vibration speed		V120_30AB_02		USD	874.00
Extending unit, right side					
Extending unit without berm, right	Standard	V103_30AB_00		USD	0.00
Extending unit, left side					
Extending unit without berm, left	Standard	V104_30AB_00		USD	0.00
Heating rod for end gate ski					
Heating rod for end gate ski		V131_30AB_01		USD	990.00
System for Paving Width Reduction					
Cut-off shoes, 6 in., 2 pieces		V141_30AB_01		USD	617.00
Cut-off shoes, 6 in., 4 pieces		V141_30AB_02		USD	1,067.00
Cut-off shoes, 6 in., 6 pieces		V141_30AB_03		USD	1,530.00
Cut-off shoes, 6 in., 8 pieces		V141_30AB_04		USD	1,980.00
Angle of attack adjustment					
Angle of attack adjustment, counterclockwise to increase mat thickness	Standard	V150_30AB_01		USD	0.00
Angle of attack adjustment, clockwise to increase mat thickness		V150_30AB_02		USD	0.00

Price list**SUPER 2000-3i (4f) / Carlson EZIV-10 Screed****Scope of supply – basic machine****Drive Unit**

- Liquid-cooled Cummins 6-cylinder diesel engine, QSB6.7-C250, 250 hp (186kW) at 2,000rpm
- Engine complies with the applicable exhaust emission standards of the European Union (COM) 4 and USA (EPA) Tier 4f
- Electronic engine management

Undercarriage

- Hydrostatic traction drive
- Continuous rubber tracks, ground contact 9 ft. 10 in. x 1 ft. 6 in. (2,994 x 457 mm)
- Low-maintenance multiple-disk brakes, lock on automatically without oil pressure

Material Feed, Conveyors and Augers

- Wide push-rollers, oscillating, can be displaced forwards by 3 in. (75 mm) or 6 in. (150 mm)
- 16.5 tons (15 tonnes) material hopper
- Hopper apron hydraulically operated
- 4 separate hydraulic drives for conveyors and augers
- Mechanical sensors for controlling the conveyors, conveyors can briefly be reversed
- Sonic sensors for controlling the augers
- Augers reversible and hydraulically adjustable in height, complete with limiting plates for auger tunnel and bracing
- Manual auger override
- Automatic filling function for the auger tunnel during breaks in paving
- 3 left hand and 3 right hand 1 ft. (30.5 cm) stackable augers for a total of 6 ft. of augers

Electrical System

- On-board voltage 24V

Screed Heating

- Three-phase AC generator, oil-cooled with electronic generator management
- Screed is also heated when diesel engine is running at idle
- Screed heating with electronic temperature control

Operator's Platform

- 2 comfortable heated operator's seats, can be pivoted outwards

- Operator's seats and console can be easily and conveniently adjusted for ergonomic working
- Modular ErgoPlus paver operator's console; large high-contrast colour display ensures easy operation and monitoring of paver functions
- 2 ErgoPlus screed consoles for the right and left-hand screed sides, with colour display for setting up and monitoring paver and screed functions

Miscellaneous

- Centralized lubrication system for tractor unit with electronic level indication on the display
- Machine documentation
- Crown is set hydraulically

Total price of basic configuration **USD 557,100.00**

Operator's Stand

Operator's stand

Operator's stand without hardtop	Standard	V600_1174_00		USD	0.00
Hardtop with sunshades, VÖGELE design		V600_1174_01		USD	11,327.00

Rear-view mirrors

Rearview mirror, 2 pieces, paver without hardtop		V606_1174_01		USD	1,041.00
--	--	--------------	--	-----	----------

Electrical System

Working lights

Working lights, halogen		V505_1174_01		USD	-3,407.00
Working lights, LED	Standard	V505_1174_03		USD	0.00

Extra working light

Working light for auger tunnel, 2 pieces	Standard	V506_1174_02		USD	0.00
--	----------	--------------	--	-----	------

Light balloons

Light balloon, LED, 1 piece		V520_1174_03		USD	5,554.00
<i>For extensive and non-glare lighting of night-time job sites.</i> <i>(Requires the Schuko Power Outlet option)</i>					

Bracket for light balloon

Bracket for LED light balloon, 2 pieces		V522_1174_01		USD	476.00
---	--	--------------	--	-----	--------

Power outlet

Socket outlet 12 V, 2 pieces	Standard	V510_1174_02		USD	0.00
Socket outlet 24 V, 2 pieces		V510_1174_03		USD	-296.00

Power outlet					
NEMA power outlet, 120 V, speed independent, 1 piece		V512_1174_01		USD	8,254.00
Rotary beacon					
All-round beacon, 1 piece, paver without hardtop	Standard	V515_1174_01		USD	0.00
Reverse beeper					
Reverse beeper, acoustic	Standard	V516_1174_01		USD	
Material Transport					
Power Tunnel					
Power Tunnel	Standard	V313_1174_01		USD	0.00
Material transport					
Material transport; standard	Standard	V320_1174_01		USD	0.00
Push-rollers					
Push-rollers	Standard	V323_1174_01		USD	0.00
Truck Hitch		V323_1174_03		USD	7,573.00
Grade And Slope Control					
Automatic grade and slope control					
NIVELTRONIC Plus	Standard	V650_1174_01		USD	0.00
Niveltronic Plus 3D		V650_1174_02		USD	3,870.00
Slope Sensor					
Slope Sensor	Standard	V670_1174_01		USD	0.00
Bracket for grade sensor					
Bracket for grade sensor, 1 piece		V684_1174_01		USD	1,517.00
<i>For attachment of a mechanical or sonic grade sensor.</i>					
Bracket for grade sensor at VF screed, 1 piece		V684_1174_03		USD	604.00
<i>For attachment of a mechanical or sonic grade sensor.</i>					
Bracket, attachment of grade sensor to screed arm					
Bracket, Attachment of Grade Sensor to Screed Arm, 1 piece		V686_1174_01		USD	579.00
Mounting kit to attach the bracket for the grade sensor for VF screed to the screed arm, 1 piece		V686_1174_03		USD	90.00
Variable mechanical grade sensor					
Variable mechanical grade sensor (Dash 3), 1 unit		V680_1174_01		USD	4,423.00
Ski 6 ft. 7 in.					
Ski 2m, 1 piece		V689_1174_01		USD	180.00
Single-Cell Sonic Sensor					
Single-cell sonic sensor, 1 piece		V681_1174_03		USD	4,641.00

Multi-Cell Sonic Sensor (CAN/Analog)					
Multi-cell sonic sensor (Dash 3), 1 unit		V683_1174_03		USD	5,619.00
Big MultiPlex Ski					
Big MultiPlex Ski, 1 piece		V688_1174_03		USD	29,353.00
Big MultiPlex Ski, electronic					
Big MultiPlex Ski, electronic		V687_1174_01		USD	17,216.00
Tractor Unit / Screed Interface					
Screed lock					
Screed lock, manual		V400_1174_01		USD	-1,311.00
Screed lock, hydraulic	Standard	V400_1174_02		USD	0.00
Screed Arm Guidance					
Standard Guide for Screed Arm	Standard	V405_1174_01		USD	0.00
Guide rollers for screed arm		V405_1174_02		USD	1,273.00
Screed Assist					
Screed Assist		V420_1174_01		USD	1,671.00
Machine ascent					
Ascent for tractor unit without screed		V411_1174_01		USD	604.00
Others					
Low-emissions package					
EcoPlus low-emissions package	Standard	V202_1174_03		USD	0.00
Hydraulic oil					
Hydraulic system filled with mineral oil	Standard	V700_01		USD	0.00
Washdown system					
Washdown system with tank and hose reel	Standard	V705_1174_01		USD	0.00
Tools					
Tools		V715_1174_01		USD	579.00
Packing					
Packing for transport by sea	Standard	V730_02		USD	0.00
Paint finish					
Paint finish, standard VÖGELE Green	Standard	V800_01		USD	0.00
Grease filling, lubrication system					
Adapter for connecting grease gun		V720_1174_01		USD	849.00
Ventilation system					
Ventilation system	Standard	V907_01		USD	0.00
Maintenance kit					
Maintenance kit, 50 service hours		V734_1174_01		USD	296.00
Maintenance kit, 500 service hours		V734_1174_05		USD	411.00
Maintenance kit, 1,000 service hours		V734_1174_06		USD	733.00

RoadScan					
VÖGELE RoadScan Kit		V240_1174_01		USD	3,163.00
<i>The Kit includes the pyrometer to measure the base temperature before paving, a USB port on the paver operator's ErgoPlus 3 console to export the saved data, the bracket for mounting on the paver roof (Dash 3), the cabling and software which can be activated in ErgoPlus 3. (The Kit is</i>					
VÖGELE RoadScan, temperature-measurement system		V240_1174_02		USD	39,343.00
<i>The high-precision infrared camera is the key component of VÖGELE RoadScan. It scans the asphalt pavement behind the screed over the entire area. The housing of the infrared camera also accommodates a high-precision GPS receiver. It records the exact position of the temperature data. (Requires the</i>					
VÖGELE RoadScan, weather station		V240_1174_03		USD	2,931.00
<i>The weather station displays and documents the wind speed, wind direction, ambient temperature, air pressure and humidity.</i>					
WITOS FleetView Telematics System					
WITOS FleetView – professional telematics solution to optimize machine use and servicing	Standard	V777_1174_01		USD	0.00
<i>WITOS FleetView includes a control unit (TCU) with a GPS receiver and the usage rights for the web application WITOS FleetView. The web access function offers a compact overview of the machine status including consumption data, working times, position data, error messages and service intervals. (The actual amount of data available depends on the machine type). The availability</i>					
Screed Options					
Extending unit, right side					
Extending unit without berm, right	Standard	V103_EZ04_00		USD	0.00
Berne 305 mm (12"), RH		V103_EZ04_01		USD	4,860.00
Berne 457 mm (18"), RH		V103_EZ04_02		USD	4,860.00
Berne 610 mm (24"),RH		V103_EZ04_03		USD	4,860.00

Extending unit, left side					
Extending unit without berm, left	Standard	V104_EZ04_00		USD	0.00
Berme 305 mm (12"), LH		V104_EZ04_01		USD	4,860.00
Berme 457 mm (18"), LH		V104_EZ04_02		USD	4,860.00
Berme 610 mm (24"), LH		V104_EZ04_03		USD	4,860.00
Screed with berm					
Screed with berm		V108_EZ04_01		USD	489.00
Bolt-On Extension, Left-Hand Side, 30.5cm		V101_EZ04_12L		USD	2,237.00
Bolt-On Extension, Left-Hand Side, 45.7cm		V101_EZ04_18L		USD	2,237.00
Bolt-On Extension, Left-Hand Side, 61cm		V101_EZ04_24L		USD	2,237.00
Bolt-On Extension, Right-Hand Side, 30.5cm		V101_EZ04_12R		USD	2,237.00
Bolt-On Extension, Right-Hand Side, 45.7cm		V101_EZ04_18R		USD	2,237.00
Bolt-On Extension, Right-Hand Side, 61cm		V101_EZ04_24R		USD	2,237.00
Y-Cable for Coupling Bolt-On Extensions		V102_EZ04		USD	0.00
Wide Width Support Kit					
Wide Width Support Kit		V142_EZ04_01		USD	0.00
Heating rod for end gate ski					
Heating rod for end gate ski		V131_EZ04_01		USD	1,234.00
System for Paving Width Reduction					
Cut-Off Shoes, Left-Hand Side		V140_EZ04_01		USD	399.00
Cut-Off Shoes, Right-Hand Side		V140_EZ04_02		USD	399.00
Cut-Off Shoes, Neutral		V141_EZ04		USD	399.00
Thickness Control Screws					
Angle of attack adjustment, counterclockwise to increase mat thickness	Standard	V150_EZ04_01		USD	0.00
Angle of attack adjustment, clockwise to increase mat thickness		V150_EZ04_02		USD	0.00

Price list**SUPER 2000-3i (4f) / Extending Screed VF
600-3 V****Scope of supply – basic machine****Drive Unit**

- Liquid-cooled Cummins 6-cylinder diesel engine, QSB6.7-C250, 250 hp (186kW) at 2,000rpm
- Engine complies with the applicable exhaust emission standards of the European Union (COM) 4 and USA (EPA) Tier 4f
- Electronic engine management

Undercarriage

- Hydrostatic traction drive
- Continuous rubber tracks, ground contact 9 ft. 10 in. x 1 ft. 6 in. (2,994 x 457 mm)
- Low-maintenance multiple-disk brakes, lock on automatically without oil pressure

Material Feed, Conveyors and Augers

- Wide push-rollers, oscillating, can be displaced forwards by 3 in. (75 mm) or 6 in. (150 mm)
- 16.5 tons (15 tonnes) material hopper
- Hopper apron hydraulically operated
- 4 separate hydraulic drives for conveyors and augers
- Mechanical sensors for controlling the conveyors, conveyors can briefly be reversed
- Sonic sensors for controlling the augers
- Augers reversible and hydraulically adjustable in height, complete with limiting plates for auger tunnel and bracing
- Manual auger override
- Automatic filling function for the auger tunnel during breaks in paving
- 3 left hand and 3 right hand 1 ft. (30.5 cm) stackable augers for a total of 6 ft. of augers

Electrical System

- On-board voltage 24V

Screed Heating

- Three-phase AC generator, oil-cooled with electronic generator management
- Screed is also heated when diesel engine is running at idle
- Screed heating with electronic temperature control

Operator's Platform

- 2 comfortable heated operator's seats, can be pivoted outwards

- Operator's seats and console can be easily and conveniently adjusted for ergonomic working
- Modular ErgoPlus paver operator's console; large high-contrast colour display ensures easy operation and monitoring of paver functions
- 2 ErgoPlus screed consoles for the right and left-hand screed sides, with colour display for setting up and monitoring paver and screed functions

Miscellaneous

- Centralized lubrication system for tractor unit with electronic level indication on the display
- Machine documentation
- Crown is set hydraulically

Total price of basic configuration				
Bolt-on extension	Pave width	Generator	Price	
SUPER 2000-3i (4f) / Extending Screed VF 600-3 V				
Without bolt-on extensions	5.950	Generator, standard power output	USD	553,886.00
Bolt-on extensions, 2 x 1 ft.	6.550	Generator, standard power output	USD	561,986.00
Bolt-on extensions, 2 x 2 ft.	7.150	Generator, standard power output	USD	574,971.00
Bolt-on extensions, 2 x 1 ft.; 2 x 2 ft.	7.750	Generator, standard power output	USD	583,071.00

Operator's Stand					
Operator's stand					
Operator's stand without hardtop	Standard	V600_1174_00		USD	0.00
Hardtop with sunshades, VÖGELE design		V600_1174_01		USD	11,327.00
Rear-view mirrors					
Rearview mirror, 2 pieces, paver without hardtop		V606_1174_01		USD	1,041.00
Electrical System					
Working lights					
Working lights, halogen		V505_1174_01		USD	-3,407.00

Working lights, LED	Standard	V505_1174_03		USD	0.00
Extra working light					
Working light for auger tunnel, 2 pieces	Standard	V506_1174_02		USD	0.00
Light balloons					
Light balloon, LED, 1 piece <i>For extensive and non-glare lighting of night-time job sites.</i> <i>(Requires the Schuko Power Outlet option)</i>		V520_1174_03		USD	5,554.00
Bracket for light balloon					
Bracket for LED light balloon, 2 pieces		V522_1174_01		USD	476.00
Power outlet					
Socket outlet 12 V, 2 pieces	Standard	V510_1174_02		USD	0.00
Socket outlet 24 V, 2 pieces		V510_1174_03		USD	-296.00
Power outlet					
NEMA power outlet, 120 V, speed independent, 1 piece		V512_1174_01		USD	8,254.00
Rotary beacon					
All-round beacon, 1 piece, paver without hardtop	Standard	V515_1174_01		USD	0.00
Reverse beeper					
Reverse beeper, acoustic	Standard	V516_1174_01		USD	0.00
Material Transport					
Power Tunnel					
Power Tunnel	Standard	V313_1174_01		USD	0.00
Material transport					
Material transport; standard	Standard	V320_1174_01		USD	0.00
Heavy-duty kit		V320_1174_02		USD	6,261.00
Push-rollers					
Push-rollers	Standard	V323_1174_01		USD	0.00
Truck Hitch		V323_1174_03		USD	7,573.00
Grade And Slope Control					
Automatic grade and slope control					
NIVELTRONIC Plus	Standard	V650_1174_01		USD	0.00
Niveltronic Plus 3D		V650_1174_02		USD	3,870.00
Slope Sensor					
Slope Sensor	Standard	V670_1174_01		USD	0.00

Bracket for grade sensor					
Bracket for grade sensor, 1 piece		V684_1174_01		USD	1,517.00
<i>For attachment of a mechanical or sonic grade sensor.</i>					
Bracket for grade sensor at VF screed, 1 piece		V684_1174_03		USD	604.00
<i>For attachment of a mechanical or sonic grade sensor.</i>					
Bracket, attachment of grade sensor to screed arm					
Bracket, Attachment of Grade Sensor to Screed Arm, 1 piece		V686_1174_01		USD	579.00
Mounting kit to attach the bracket for the grade sensor for VF screed to the screed arm, 1 piece		V686_1174_03		USD	90.00
Variable mechanical grade sensor					
Variable mechanical grade sensor (Dash 3), 1 unit		V680_1174_01		USD	4,423.00
Ski 6 ft. 7 in.					
Ski 2m, 1 piece		V689_1174_01		USD	180.00
Single-Cell Sonic Sensor					
Single-cell sonic sensor, 1 piece		V681_1174_03		USD	4,641.00
Multi-Cell Sonic Sensor (CAN/Analog)					
Multi-cell sonic sensor (Dash 3), 1 unit		V683_1174_03		USD	5,619.00
Big MultiPlex Ski					
Big MultiPlex Ski, 1 piece		V688_1174_03		USD	29,353.00
Big MultiPlex Ski, electronic					
Big MultiPlex Ski, electronic		V687_1174_01		USD	17,216.00
Tractor Unit / Screed Interface					
Screed lock					
Screed lock, manual		V400_1174_01		USD	-1,311.00
Screed lock, hydraulic	Standard	V400_1174_02		USD	0.00
Screed Arm Guidance					
Standard Guide for Screed Arm	Standard	V405_1174_01		USD	0.00
Guide rollers for screed arm		V405_1174_02		USD	1,273.00
Screed Assist					
Screed Assist		V420_1174_01		USD	1,671.00
Tamper					
Preparation for screed in TV version		V428_1174_02		USD	1,929.00
Machine ascent					
Ascent for tractor unit without screed		V411_1174_01		USD	604.00

Others					
Low-emissions package					
EcoPlus low-emissions package	Standard	V202_1174_03		USD	0.00
Hydraulic oil					
Hydraulic system filled with mineral oil	Standard	V700_01		USD	0.00
Washdown system					
Washdown system with tank and hose reel	Standard	V705_1174_01		USD	0.00
Tools					
Tools		V715_1174_01		USD	579.00
Packing					
Packing for transport by sea	Standard	V730_02		USD	0.00
Paint finish					
Paint finish, standard VÖGELE Green	Standard	V800_01		USD	0.00
Paint finish, client's design		V800_02		USD	3,330.00
Grease filling, lubrication system					
Adapter for connecting grease gun		V720_1174_01		USD	849.00
Ventilation system					
Ventilation system	Standard	V907_01		USD	0.00
Maintenance kit					
Maintenance kit, 50 service hours		V734_1174_01		USD	296.00
Maintenance kit, 500 service hours		V734_1174_05		USD	411.00
Maintenance kit, 1,000 service hours		V734_1174_06		USD	733.00
RoadScan					
VÖGELE RoadScan Kit <i>The Kit includes the pyrometer to measure the base temperature before paving, a USB port on the paver operator's ErgoPlus 3 console to export the saved data, the bracket for mounting on the paver roof (Dash 3), the cabling and software which can be activated in ErgoPlus 3. (The Kit is</i>		V240_1174_01		USD	3,163.00
VÖGELE RoadScan, temperature-measurement system <i>The high-precision infrared camera is the key component of VÖGELE RoadScan. It scans the asphalt pavement behind the screed over the entire area. The housing of the infrared camera also accommodates a high-precision GPS receiver. It records the exact position of the temperature data. (Requires the option VÖGELE RoadScan Kit)</i>		V240_1174_02		USD	39,343.00

VÖGELE RoadScan, weather station		V240_1174_03		USD	2,931.00
<i>The weather station displays and documents the wind speed, wind direction, ambient temperature, air pressure and humidity.</i>					
WITOS FleetView Telematics System					
WITOS FleetView – professional telematics solution to optimize machine use and servicing	Standard	V777_1174_01		USD	0.00
<i>WITOS FleetView includes a control unit (TCU) with a GPS receiver and the usage rights for the web application WITOS FleetView. The web access function offers a compact overview of the machine status including consumption data, working times, position data, error messages and service intervals. (The actual amount of data available depends on the machine configuration.)</i>					
Screed Options					
Measuring sensors, screed					
Display of vibration speed		V120_31AB_02		USD	874.00
Extending unit, right side					
Extending unit without berm, right	Standard	V103_31AB_00		USD	0.00
Extending unit, left side					
Extending unit without berm, left	Standard	V104_31AB_00		USD	0.00
Heating rod for end gate ski					
Heating rod for end gate ski		V131_31AB_01		USD	990.00
System for Paving Width Reduction					
Cut-off shoes, 6 in., 2 pieces		V141_31AB_01		USD	617.00
Cut-off shoes, 6 in., 4 pieces		V141_31AB_02		USD	1,067.00
Cut-off shoes, 6 in., 6 pieces		V141_31AB_03		USD	1,530.00
Cut-off shoes, 6 in., 8 pieces		V141_31AB_04		USD	1,980.00
Angle of attack adjustment					
Angle of attack adjustment, counterclockwise to increase mat thickness	Standard	V150_31AB_01		USD	0.00
Angle of attack adjustment, clockwise to increase mat thickness		V150_31AB_02		USD	0.00
Date: 11/23/2020					

Price list**SUPER 2000-3i (4f) / VR 600-2 V Extending
Screed****Scope of supply – basic machine****Drive Unit**

- Liquid-cooled Cummins 6-cylinder diesel engine, QSB6.7-C250, 250 hp (186kW) at 2,000rpm
- Engine complies with the applicable exhaust emission standards of the European Union (COM) 4 and USA (EPA) Tier 4f
- Electronic engine management

Undercarriage

- Hydrostatic traction drive
- Continuous rubber tracks, ground contact 9 ft. 10 in. x 1 ft. 6 in. (2,994 x 457 mm)
- Low-maintenance multiple-disk brakes, lock on automatically without oil pressure

Material Feed, Conveyors and Augers

- Wide push-rollers, oscillating, can be displaced forwards by 3 in. (75 mm) or 6 in. (150 mm)
- 16.5 tons (15 tonnes) material hopper
- Hopper apron hydraulically operated
- 4 separate hydraulic drives for conveyors and augers
- Mechanical sensors for controlling the conveyors, conveyors can briefly be reversed
- Sonic sensors for controlling the augers
- Augers reversible and hydraulically adjustable in height, complete with limiting plates for auger tunnel and bracing
- Manual auger override
- Automatic filling function for the auger tunnel during breaks in paving
- 3 left hand and 3 right hand 1 ft. (30.5 cm) stackable augers for a total of 6 ft. of augers

Electrical System

- On-board voltage 24V

Screed Heating

- Three-phase AC generator, oil-cooled with electronic generator management
- Screed is also heated when diesel engine is running at idle
- Screed heating with electronic temperature control

Operator's Platform

- 2 comfortable heated operator's seats, can be pivoted outwards

- Operator's seats and console can be easily and conveniently adjusted for ergonomic working
- Modular ErgoPlus paver operator's console; large high-contrast colour display ensures easy operation and monitoring of paver functions
- 2 ErgoPlus screed consoles for the right and left-hand screed sides, with colour display for setting up and monitoring paver and screed functions

Miscellaneous

- Centralized lubrication system for tractor unit with electronic level indication on the display
- Machine documentation
- Crown is set hydraulically

Total price of basic configuration

Bolt-on extension	Pave width	Generator	Price
SUPER 2000-3i (4f) / VR 600-2 V Extending Screed			
Without bolt-on extensions	6.000	Generator, standard power output	USD 555,429.00
Bolt-on extensions, 2 x 2 ft. 2 in.	7.300	Generator, standard power output	USD 576,643.00
Bolt-on extensions, 4 x 2 ft. 2 in.	8.600	Generator, standard power output	USD 591,943.00

Operator's Stand

Operator's stand

Operator's stand without hardtop	Standard	V600_1174_00	USD	0.00
Hardtop with sunshades, VÖGELE design		V600_1174_01	USD	11,327.00

Rear-view mirrors

Rearview mirror, 2 pieces, paver without hardtop		V606_1174_01	USD	1,041.00
--	--	--------------	-----	----------

Electrical System

Working lights

Working lights, halogen		V505_1174_01	USD	-3,407.00
Working lights, LED	Standard	V505_1174_03	USD	0.00

Extra working light

Working light for auger tunnel, 2 pieces	Standard	V506_1174_02	USD	0.00
--	----------	--------------	-----	------

Light balloons

Light balloon, LED, 1 piece		V520_1174_03	USD	5,554.00
<i>For extensive and non-glare lighting of night-time job sites.</i> <i>(Requires the Schuko Power Outlet option)</i>				

Bracket for light balloon					
Bracket for LED light balloon, 2 pieces		V522_1174_01		USD	476.00
Power outlet					
Socket outlet 12 V, 2 pieces	Standard	V510_1174_02		USD	0.00
Socket outlet 24 V, 2 pieces		V510_1174_03		USD	-296.00
Power outlet					
NEMA power outlet, 120 V, speed independent, 1 piece		V512_1174_01		USD	8,254.00
Rotary beacon					
All-round beacon, 1 piece, paver without hardtop	Standard	V515_1174_01		USD	0.00
Reverse beeper					
Reverse beeper, acoustic	Standard	V516_1174_01		USD	0.00
Material Transport					
Power Tunnel					
Power Tunnel	Standard	V313_1174_01		USD	0.00
Material transport					
Material transport; standard	Standard	V320_1174_01		USD	0.00
Push-rollers					
Push-rollers	Standard	V323_1174_01		USD	0.00
Truck Hitch		V323_1174_03		USD	7,573.00
Grade And Slope Control					
Automatic grade and slope control					
NIVELTRONIC Plus	Standard	V650_1174_01		USD	0.00
Niveltronic Plus 3D		V650_1174_02		USD	3,870.00
Slope Sensor					
Slope Sensor	Standard	V670_1174_01		USD	0.00
Bracket for grade sensor					
Bracket for grade sensor, 1 piece <i>For attachment of a mechanical or sonic grade sensor.</i>		V684_1174_01		USD	1,517.00
Bracket for grade sensor at VF screed, 1 piece <i>For attachment of a mechanical or sonic grade sensor.</i>		V684_1174_03		USD	604.00
Bracket, attachment of grade sensor to screed arm					
Bracket, Attachment of Grade Sensor to Screed Arm, 1 piece		V686_1174_01		USD	579.00
Variable mechanical grade sensor					
Variable mechanical grade sensor (Dash 3), 1 unit		V680_1174_01		USD	4,423.00
Ski 6 ft. 7 in.					
Ski 2m, 1 piece		V689_1174_01		USD	180.00

Single-Cell Sonic Sensor					
Single-cell sonic sensor, 1 piece		V681_1174_03		USD	4,641.00
Multi-Cell Sonic Sensor (CAN/Analog)					
Multi-cell sonic sensor (Dash 3), 1 unit		V683_1174_03		USD	5,619.00
Big MultiPlex Ski					
Big MultiPlex Ski, 1 piece		V688_1174_03		USD	29,353.00
Big MultiPlex Ski, electronic					
Big MultiPlex Ski, electronic		V687_1174_01		USD	17,216.00
Tractor Unit / Screed Interface					
Screed lock					
Screed lock, manual		V400_1174_01		USD	-1,311.00
Screed lock, hydraulic	Standard	V400_1174_02		USD	0.00
Screed Arm Guidance					
Standard Guide for Screed Arm	Standard	V405_1174_01		USD	0.00
Guide rollers for screed arm		V405_1174_02		USD	1,273.00
Screed Assist					
Screed Assist		V420_1174_01		USD	1,671.00
Machine ascent					
Ascent for tractor unit without screed		V411_1174_01		USD	604.00
Others					
Low-emissions package					
EcoPlus low-emissions package	Standard	V202_1174_03		USD	0.00
Hydraulic oil					
Hydraulic system filled with mineral oil	Standard	V700_01		USD	0.00
Washdown system					
Washdown system with tank and hose reel	Standard	V705_1174_01		USD	0.00
Tools					
Tools		V715_1174_01		USD	579.00
Packing					
Packing for transport by sea	Standard	V730_02		USD	0.00
Paint finish					
Paint finish, standard VÖGELE Green	Standard	V800_01		USD	0.00
Paint finish, client's design		V800_02		USD	3,330.00
Grease filling, lubrication system					
Adapter for connecting grease gun		V720_1174_01		USD	849.00
Ventilation system					
Ventilation system	Standard	V907_01		USD	0.00

Maintenance kit					
Maintenance kit, 50 service hours		V734_1174_01		USD	296.00
Maintenance kit, 500 service hours		V734_1174_05		USD	411.00
Maintenance kit, 1,000 service hours		V734_1174_06		USD	733.00
RoadScan					
<p>VÖGELE RoadScan Kit</p> <p><i>The Kit includes the pyrometer to measure the base temperature before paving, a USB port on the paver operator's ErgoPlus 3 console to export the saved data, the bracket for mounting on the paver roof (Dash 3), the cabling and software which can be activated in ErgoPlus 3. (The Kit is essential for operation of VÖGELE RoadScan.)</i></p>		V240_1174_01		USD	3,163.00
<p>VÖGELE RoadScan, temperature-measurement system</p> <p><i>The high-precision infrared camera is the key component of VÖGELE RoadScan. It scans the asphalt pavement behind the screed over the entire area. The housing of the infrared camera also accommodates a high-precision GPS receiver. It records the exact position of the temperature data. (Requires the option VÖGELE RoadScan Kit)</i></p>		V240_1174_02		USD	39,343.00
<p>VÖGELE RoadScan, weather station</p> <p><i>The weather station displays and documents the wind speed, wind direction, ambient temperature, air pressure and humidity.</i></p>		V240_1174_03		USD	2,931.00
WITOS FleetView Telematics System					
<p>WITOS FleetView – professional telematics solution to optimize machine use and servicing</p> <p><i>WITOS FleetView includes a control unit (TCU) with a GPS receiver and the usage rights for the web application WITOS FleetView. The web access function offers a compact overview of the machine status including consumption data, working times, position data, error messages and service intervals. (The actual amount of data available depends on the machine type). The availability of WITOS FleetView is</i></p>	Standard	V777_1174_01		USD	0.00

Screed Options					
Monitoring system for screed heating					
Without Monitoring System for Screed Heating	Standard	V110_18AB_00		USD	0.00
Monitoring of heating rods		V110_18AB_01		USD	6,313.00
Measuring sensors, screed					
Display of vibration speed		V120_18AB_02		USD	874.00
Height adjustment, end gate					
Height adjustment of end gate, mechanical	Standard	V126_18AB_01		USD	0.00
Height adjustment of end gate, hydraulic		V126_18AB_02		USD	6,737.00
Heating rod for end gate ski					
Heating rod for end gate ski		V131_18AB_01		USD	1,131.00
Edger plates					
Edger plate, 52°, 1 in., 2 pieces		V132_18AB_01		USD	1,119.00
Edger plate, 52°, 2 in., 2 pieces		V132_18AB_02		USD	1,363.00
Heating rod for edger plate, 2 pieces		V134_18AB		USD	900.00
Angle of attack adjustment					
Angle of attack adjustment, counterclockwise to increase mat thickness	Standard	V150_18AB_01		USD	0.00
Angle of attack adjustment, clockwise to increase mat thickness		V150_18AB_02		USD	0.00

Price list**SUPER 2003-3i (4f) / Carlson EZIV-10 Screed****Scope of supply – basic machine****Drive Unit**

- Liquid-cooled Cummins 6-cylinder diesel engine, QSB6.7-C240, 240 hp (179kW) at 2,000rpm
- Engine complies with the applicable exhaust emission standards of the European Union (COM) 4 and USA (EPA) Tier 4f
- Electronic engine management

Undercarriage

- Hydrostatic traction drive (separate drives for powered wheels) with electronic traction control
- 4 front wheels of solid elastic rubber, 540/300-390, mounted on bogies
- 2 powered wheels with tubeless tyres 445/95 R25
- Extremely small outside turning radius to not more than 18 ft. 4 in. (5.6 m) with "Pivot Steer"
- Service brake (multiple-disk brake, hydraulically pressurized) and hydraulically actuated parking brake

Material Feed, Conveyors and Augers

- Wide push-rollers, oscillating, can be displaced forwards by 3 in. (75 mm) or 6 in. (150 mm)
- 16.5 tons (15 tonnes) material hopper
- Hopper apron hydraulically operated
- 4 separate hydraulic drives for conveyors and augers
- Mechanical sensors for controlling the conveyors, conveyors can briefly be reversed
- Sonic sensors for controlling the augers
- Augers reversible and hydraulically adjustable in height, complete with limiting plates for auger tunnel and bracing
- Manual auger override
- Automatic filling function for the auger tunnel during breaks in paving
- 3 left hand and 3 right hand 1 ft. (30.5 cm) stackable augers for a total of 6 ft. of augers

Electrical System

- On-board voltage 24V

Screed Heating

- Three-phase AC generator, oil-cooled with electronic generator management

- Screed is also heated when diesel engine is running at idle
- Screed heating with electronic temperature control

Operator's Platform

- 2 comfortable heated operator's seats, can be pivoted outwards
- Operator's seats and console can be easily and conveniently adjusted for ergonomic working
- Modular ErgoPlus paver operator's console; large high-contrast colour display ensures easy operation and monitoring of paver functions
- 2 ErgoPlus screed consoles for the right and left-hand screed sides, with colour display for setting up and monitoring paver and screed functions

Miscellaneous

- Centralized lubrication system for tractor unit with electronic level indication on the display
- Machine documentation
- Crown is set hydraulically

Total price of basic configuration **USD 520,331.00**

Operator's Stand

Operator's stand

Operator's stand without hardtop	Standard	V600_0975_00		USD	0.00
Hardtop with sunshades, VÖGELE design		V600_0975_01		USD	11,327.00

Rear-view mirrors

Rearview mirror, 2 pieces, paver without hardtop		V606_0975_01		USD	1,041.00
--	--	--------------	--	-----	----------

Electrical System

Working lights

Working lights, halogen		V505_0975_01		USD	-3,407.00
Working lights, LED	Standard	V505_0975_03		USD	0.00

Extra working light

Working light for auger tunnel, 2 pieces	Standard	V506_0975_02		USD	0.00
--	----------	--------------	--	-----	------

Light balloons

Light balloon, LED, 1 piece		V520_0975_03		USD	5,554.00
<i>For extensive and non-glare lighting of night-time job sites.</i> <i>(Requires the Schuko Power Outlet option)</i>					

Bracket for light balloon

Bracket for LED light balloon, 2 pieces		V522_0975_01		USD	476.00
---	--	--------------	--	-----	--------

Power outlet					
Socket outlet 12 V, 2 pieces	Standard	V510_0975_02		USD	0.00
Socket outlet 24 V, 2 pieces		V510_0975_03		USD	-296.00
Power outlet					
NEMA power outlet, 120 V, speed independent, 1 piece		V512_0975_01		USD	8,254.00
Rotary beacon					
All-round beacon, 1 piece, paver without hardtop	Standard	V515_0975_01		USD	0.00
Reverse beeper					
Reverse beeper, acoustic	Standard	V516_0975_01		USD	0.00
Material Transport					
Power Tunnel					
Power Tunnel		V313_0975_01		USD	7,586.00
Material transport					
Material transport; standard	Standard	V320_0975_01		USD	0.00
Push-rollers					
Push-rollers	Standard	V323_0975_01		USD	0.00
Truck Hitch		V323_0975_03		USD	7,573.00
Grade And Slope Control					
Automatic grade and slope control					
NIVELTRONIC Plus	Standard	V650_0975_01		USD	0.00
Niveltronic Plus 3D		V650_0975_02		USD	3,870.00
Slope Sensor					
Slope Sensor	Standard	V670_0975_01		USD	0.00
Bracket for grade sensor					
Bracket for grade sensor, 1 piece <i>For attachment of a mechanical or sonic grade sensor.</i>		V684_0975_01		USD	1,517.00
Bracket for grade sensor at VF screed, 1 piece <i>For attachment of a mechanical or sonic grade sensor.</i>		V684_0975_03		USD	604.00
Bracket, attachment of grade sensor to screed arm					
Bracket, Attachment of Grade Sensor to Screed Arm, 1 piece		V686_0975_01		USD	579.00
Mounting kit to attach the bracket for the grade sensor for VF screed to the screed arm, 1 piece		V686_0975_03		USD	90.00
Variable mechanical grade sensor					
Variable mechanical grade sensor (Dash 3), 1 unit		V680_0975_01		USD	4,423.00
Ski 6 ft. 7 in.					
Ski 2m, 1 piece		V689_0975_01		USD	180.00

Single-Cell Sonic Sensor					
Single-cell sonic sensor, 1 piece		V681_0975_03		USD	4,641.00
Multi-Cell Sonic Sensor (CAN/Analog)					
Multi-cell sonic sensor (Dash 3), 1 unit		V683_0975_03		USD	5,619.00
Big MultiPlex Ski					
Big MultiPlex Ski, 1 piece		V688_0975_03		USD	29,353.00
Big MultiPlex Ski, electronic					
Big MultiPlex Ski, electronic		V687_0975_01		USD	17,216.00
Tractor Unit / Screed Interface					
Screed lock					
Screed lock, manual		V400_0975_01		USD	-1,311.00
Screed lock, hydraulic	Standard	V400_0975_02		USD	0.00
Screed Arm Guidance					
Standard Guide for Screed Arm	Standard	V405_0975_01		USD	0.00
Guide rollers for screed arm		V405_0975_02		USD	1,273.00
Screed Assist					
Screed Assist	Standard	V420_0975_01		USD	0.00
Machine ascent					
Ascent for tractor unit without screed		V411_0975_01		USD	604.00
Others					
Low-emissions package					
EcoPlus low-emissions package	Standard	V202_0975_03		USD	0.00
Traction drive					
Traction drive (6x4)	Standard	V215_0975_02		USD	0.00
Traction drive (6x6)		V215_0975_03		USD	10,376.00
Hydraulic oil					
Hydraulic system filled with mineral oil	Standard	V700_01		USD	0.00
Washdown system					
Washdown system with tank and hose reel	Standard	V705_0975_01		USD	0.00
Tools					
Tools		V715_0975_01		USD	579.00
Packing					
Packing for transport by sea	Standard	V730_02		USD	0.00
Paint finish					
Paint finish, standard VÖGELE Green	Standard	V800_01		USD	0.00
Grease filling, lubrication system					
Adapter for connecting grease gun		V720_0975_01		USD	849.00
Ventilation system					
Ventilation system	Standard	V907_01		USD	0.00

Maintenance kit					
Maintenance kit, 50 service hours		V734_0975_01		USD	296.00
Maintenance kit, 500 service hours		V734_0975_05		USD	411.00
Maintenance kit, 1,000 service hours		V734_0975_06		USD	733.00
RoadScan					
VÖGELE RoadScan Kit <i>The Kit includes the pyrometer to measure the base temperature before paving, a USB port on the paver operator's ErgoPlus 3 console to export the saved data, the bracket for mounting on the paver roof (Dash 3), the cabling and software which can be activated in ErgoPlus 3. (The Kit is essential for operation of VÖGELE RoadScan, temperature-measurement system)</i>		V240_0975_01		USD	3,163.00
<i>The high-precision infrared camera is the key component of VÖGELE RoadScan. It scans the asphalt pavement behind the screed over the entire area. The housing of the infrared camera also accommodates a high-precision GPS receiver. It records the exact position of the temperature data. (Requires the VÖGELE RoadScan Kit)</i>		V240_0975_02		USD	39,343.00
VÖGELE RoadScan, weather station <i>The weather station displays and documents the wind speed, wind direction, ambient temperature,</i>		V240_0975_03		USD	2,931.00
WITOS FleetView Telematics System					
WITOS FleetView – professional telematics solution to optimize machine use and servicing <i>WITOS FleetView includes a control unit (TCU) with a GPS receiver and the usage rights for the web application WITOS FleetView. The web access function offers a compact overview of the machine status including consumption data, working times, position data, error messages and service intervals. (The actual amount of data available depends on the machine type). The availability</i>	Standard	V777_0975_01		USD	0.00

Screed Options					
Extending unit, right side					
Extending unit without berm, right	Standard	V103_EZ04_00		USD	0.00
Berme 305 mm (12"), RH		V103_EZ04_01		USD	4,860.00
Berme 457 mm (18"), RH		V103_EZ04_02		USD	4,860.00
Berme 610 mm (24"),RH		V103_EZ04_03		USD	4,860.00
Extending unit, left side					
Extending unit without berm, left	Standard	V104_EZ04_00		USD	0.00
Berme 305 mm (12"), LH		V104_EZ04_01		USD	4,860.00
Berme 457 mm (18"), LH		V104_EZ04_02		USD	4,860.00
Berme 610 mm (24"), LH		V104_EZ04_03		USD	4,860.00
Screed with berm					
Screed with berm		V108_EZ04_01		USD	489.00
Bolt-On Extension, Left-Hand Side, 30.5cm		V101_EZ04_12L		USD	2,237.00
Bolt-On Extension, Left-Hand Side, 45.7cm		V101_EZ04_18L		USD	2,237.00
Bolt-On Extension, Left-Hand Side, 61cm		V101_EZ04_24L		USD	2,237.00
Bolt-On Extension, Right-Hand Side, 30.5cm		V101_EZ04_12R		USD	2,237.00
Bolt-On Extension, Right-Hand Side, 45.7cm		V101_EZ04_18R		USD	2,237.00
Bolt-On Extension, Right-Hand Side, 61cm		V101_EZ04_24R		USD	2,237.00
Y-Cable for Coupling Bolt-On Extensions		V102_EZ04		USD	0.00
Wide Width Support Kit					
Wide Width Support Kit		V142_EZ04_01		USD	0.00
Heating rod for end gate ski					
Heating rod for end gate ski		V131_EZ04_01		USD	1,234.00
System for Paving Width Reduction					
Cut-Off Shoes, Left-Hand Side		V140_EZ04_01		USD	399.00
Cut-Off Shoes, Right-Hand Side		V140_EZ04_02		USD	399.00
Cut-Off Shoes, Neutral		V141_EZ04		USD	399.00
Thickness Control Screws					
Angle of attack adjustment, counterclockwise to increase mat thickness	Standard	V150_EZ04_01		USD	0.00
Angle of attack adjustment, clockwise to increase mat thickness		V150_EZ04_02		USD	0.00

Price list**SUPER 2003-3i (4f) / Extending Screed VF 600-3 V****Scope of supply – basic machine****Drive Unit**

- Liquid-cooled Cummins 6-cylinder diesel engine, QSB6.7-C240, 240 hp (179kW) at 2,000rpm
- Engine complies with the applicable exhaust emission standards of the European Union (COM) 4 and USA (EPA) Tier 4f
- Electronic engine management

Undercarriage

- Hydrostatic traction drive (separate drives for powered wheels) with electronic traction control
- 4 front wheels of solid elastic rubber, 540/300-390, mounted on bogies
- 2 powered wheels with tubeless tyres 445/95 R25
- Extremely small outside turning radius to not more than 18 ft. 4 in. (5.6 m) with "Pivot Steer"
- Service brake (multiple-disk brake, hydraulically pressurized) and hydraulically actuated parking brake

Material Feed, Conveyors and Augers

- Wide push-rollers, oscillating, can be displaced forwards by 3 in. (75 mm) or 6 in. (150 mm)
- 16.5 tons (15 tonnes) material hopper
- Hopper apron hydraulically operated
- 4 separate hydraulic drives for conveyors and augers
- Mechanical sensors for controlling the conveyors, conveyors can briefly be reversed
- Sonic sensors for controlling the augers
- Augers reversible and hydraulically adjustable in height, complete with limiting plates for auger tunnel and bracing
- Manual auger override
- Automatic filling function for the auger tunnel during breaks in paving
- 3 left hand and 3 right hand 1 ft. (30.5 cm) stackable augers for a total of 6 ft. of augers

Electrical System

- On-board voltage 24V

Screed Heating

- Three-phase AC generator, oil-cooled with electronic generator management

- Screed is also heated when diesel engine is running at idle
- Screed heating with electronic temperature control

Operator's Platform

- 2 comfortable heated operator's seats, can be pivoted outwards
- Operator's seats and console can be easily and conveniently adjusted for ergonomic working
- Modular ErgoPlus paver operator's console; large high-contrast colour display ensures easy operation and monitoring of paver functions
- 2 ErgoPlus screed consoles for the right and left-hand screed sides, with colour display for setting up and monitoring paver and screed functions

Miscellaneous

- Centralized lubrication system for tractor unit with electronic level indication on the display
- Machine documentation
- Crown is set hydraulically

Total price of basic configuration

Bolt-on extension	Pave width	Generator	Price	
SUPER 2003-3i (4f) / Extending Screed VF 600-3 V				
Without bolt-on extensions	5.950	Generator, standard power output	USD	515,806.00
Bolt-on extensions, 2 x 1 ft.	6.550	Generator, standard power output	USD	524,103.00
Bolt-on extensions, 2 x 2 ft.	7.150	Generator, standard power output	USD	537,429.00
Bolt-on extensions, 2 x 1 ft.; 2 x 2 ft.	7.750	Generator, standard power output	USD	545,726.00

Operator's Stand

Operator's stand

Operator's stand without hardtop	Standard	V600_0975_00		USD	0.00
Hardtop with sunshades, VÖGELE design		V600_0975_01		USD	11,327.00

Rear-view mirrors

Rearview mirror, 2 pieces, paver without hardtop		V606_0975_01		USD	1,041.00
--	--	--------------	--	-----	----------

Electrical System

Working lights

Working lights, halogen		V505_0975_01		USD	-3,407.00
-------------------------	--	--------------	--	-----	-----------

Working lights, LED	Standard	V505_0975_03	USD	0.00
Extra working light				
Working light for auger tunnel, 2 pieces	Standard	V506_0975_02	USD	0.00
Light balloons				
Light balloon, LED, 1 piece <i>For extensive and non-glare lighting of night-time job sites.</i> <i>(Requires the Schuko Power Outlet option)</i>		V520_0975_03	USD	5,554.00
Bracket for light balloon				
Bracket for LED light balloon, 2 pieces		V522_0975_01	USD	476.00
Power outlet				
Socket outlet 12 V, 2 pieces	Standard	V510_0975_02	USD	0.00
Socket outlet 24 V, 2 pieces		V510_0975_03	USD	-296.00
Power outlet				
NEMA power outlet, 120 V, speed independent, 1 piece		V512_0975_01	USD	8,254.00
Rotary beacon				
All-round beacon, 1 piece, paver without hardtop	Standard	V515_0975_01	USD	0.00
Reverse beeper				
Reverse beeper, acoustic	Standard	V516_0975_01	USD	0.00
Material Transport				
Power Tunnel				
Power Tunnel		V313_0975_01	USD	7,586.00
Material transport				
Material transport; standard	Standard	V320_0975_01	USD	0.00
Push-rollers				
Push-rollers	Standard	V323_0975_01	USD	0.00
Truck Hitch		V323_0975_03	USD	7,573.00
Grade And Slope Control				
Automatic grade and slope control				
NIVELTRONIC Plus	Standard	V650_0975_01	USD	0.00
Niveltronic Plus 3D		V650_0975_02	USD	3,870.00
Slope Sensor				
Slope Sensor	Standard	V670_0975_01	USD	0.00
Bracket for grade sensor				
Bracket for grade sensor, 1 piece <i>For attachment of a mechanical or sonic grade sensor.</i>		V684_0975_01	USD	1,517.00
Bracket for grade sensor at VF screed, 1 piece <i>For attachment of a mechanical or sonic grade sensor.</i>		V684_0975_03	USD	604.00

Bracket, attachment of grade sensor to screed arm					
Bracket, Attachment of Grade Sensor to Screed Arm, 1 piece		V686_0975_01		USD	579.00
Mounting kit to attach the bracket for the grade sensor for VF screed to the screed arm, 1 piece		V686_0975_03		USD	90.00
Variable mechanical grade sensor					
Variable mechanical grade sensor (Dash 3), 1 unit		V680_0975_01		USD	4,423.00
Ski 6 ft. 7 in.					
Ski 2m, 1 piece		V689_0975_01		USD	180.00
Single-Cell Sonic Sensor					
Single-cell sonic sensor, 1 piece		V681_0975_03		USD	4,641.00
Multi-Cell Sonic Sensor (CAN/Analog)					
Multi-cell sonic sensor (Dash 3), 1 unit		V683_0975_03		USD	5,619.00
Big MultiPlex Ski					
Big MultiPlex Ski, 1 piece		V688_0975_03		USD	29,353.00
Big MultiPlex Ski, electronic					
Big MultiPlex Ski, electronic		V687_0975_01		USD	17,216.00
Tractor Unit / Screed Interface					
Screed lock					
Screed lock, manual		V400_0975_01		USD	-1,311.00
Screed lock, hydraulic	Standard	V400_0975_02		USD	0.00
Screed Arm Guidance					
Standard Guide for Screed Arm	Standard	V405_0975_01		USD	0.00
Guide rollers for screed arm		V405_0975_02		USD	1,273.00
Screed Assist					
Screed Assist	Standard	V420_0975_01		USD	0.00
Machine ascent					
Ascent for tractor unit without screed		V411_0975_01		USD	604.00
Others					
Low-emissions package					
EcoPlus low-emissions package	Standard	V202_0975_03		USD	0.00
Traction drive					
Traction drive (6x4)	Standard	V215_0975_02		USD	0.00
Traction drive (6x6)		V215_0975_03		USD	10,376.00
Hydraulic oil					
Hydraulic system filled with mineral oil	Standard	V700_01		USD	0.00
Washdown system					
Washdown system with tank and hose reel	Standard	V705_0975_01		USD	0.00
Tools					
Tools		V715_0975_01		USD	579.00
Packing					
Packing for transport by sea	Standard	V730_02		USD	0.00

Paint finish					
Paint finish, standard VÖGELE Green	Standard	V800_01		USD	0.00
Grease filling, lubrication system					
Adapter for connecting grease gun		V720_0975_01		USD	849.00
Ventilation system					
Ventilation system	Standard	V907_01		USD	0.00
Maintenance kit					
Maintenance kit, 50 service hours		V734_0975_01		USD	296.00
Maintenance kit, 500 service hours		V734_0975_05		USD	411.00
Maintenance kit, 1,000 service hours		V734_0975_06		USD	733.00
RoadScan					
VÖGELE RoadScan Kit <i>The Kit includes the pyrometer to measure the base temperature before paving, a USB port on the paver operator's ErgoPlus 3 console to export the saved data, the bracket for mounting on the paver roof (Dash 3), the cabling and software which can be activated in ErgoPlus 3. (The Kit is</i>		V240_0975_01		USD	3,163.00
VÖGELE RoadScan, temperature-measurement system <i>The high-precision infrared camera is the key component of VÖGELE RoadScan. It scans the asphalt pavement behind the screed over the entire area. The housing of the infrared camera also accommodates a high-precision GPS receiver. It records the exact position of the temperature data. (Requires the option VÖGELE RoadScan Kit)</i>		V240_0975_02		USD	39,343.00
VÖGELE RoadScan, weather station <i>The weather station displays and documents the wind speed, wind direction, ambient temperature, air pressure and humidity.</i>		V240_0975_03		USD	2,931.00

WITOS FleetView Telematics System					
WITOS FleetView – professional telematics solution to optimize machine use and servicing	Standard	V777_0975_01		USD	0.00
<i>WITOS FleetView includes a control unit (TCU) with a GPS receiver and the usage rights for the web application WITOS FleetView. The web access function offers a compact overview of the machine status including consumption data, working times, position data, error messages and service intervals. (The actual amount of data available depends on the machine type). The availability of WITOS FleetView is guaranteed for 2 years from the</i>					
Screed Options					
Measuring sensors, screed					
Display of vibration speed		V120_31AB_02		USD	874.00
Extending unit, right side					
Extending unit without berm, right	Standard	V103_31AB_00		USD	0.00
Extending unit, left side					
Extending unit without berm, left	Standard	V104_31AB_00		USD	0.00
Heating rod for end gate ski					
Heating rod for end gate ski		V131_31AB_01		USD	990.00
System for Paving Width Reduction					
Cut-off shoes, 6 in., 2 pieces		V141_31AB_01		USD	617.00
Cut-off shoes, 6 in., 4 pieces		V141_31AB_02		USD	1,067.00
Cut-off shoes, 6 in., 6 pieces		V141_31AB_03		USD	1,530.00
Cut-off shoes, 6 in., 8 pieces		V141_31AB_04		USD	1,980.00
Angle of attack adjustment					
Angle of attack adjustment, counterclockwise to increase mat thickness	Standard	V150_31AB_01		USD	0.00
Angle of attack adjustment, clockwise to increase mat thickness		V150_31AB_02		USD	0.00

Price list**SUPER 2003-3i (4f) / VR 600-2 V Extending
Screed****Scope of supply – basic machine****Drive Unit**

- Liquid-cooled Cummins 6-cylinder diesel engine, QSB6.7-C240, 240 hp (179kW) at 2,000rpm
- Engine complies with the applicable exhaust emission standards of the European Union (COM) 4 and USA (EPA) Tier 4f
- Electronic engine management

Undercarriage

- Hydrostatic traction drive (separate drives for powered wheels) with electronic traction control
- 4 front wheels of solid elastic rubber, 540/300-390, mounted on bogies
- 2 powered wheels with tubeless tyres 445/95 R25
- Extremely small outside turning radius to not more than 18 ft. 4 in. (5.6 m) with "Pivot Steer"
- Service brake (multiple-disk brake, hydraulically pressurized) and hydraulically actuated parking brake

Material Feed, Conveyors and Augers

- Wide push-rollers, oscillating, can be displaced forwards by 3 in. (75 mm) or 6 in. (150 mm)
- 16.5 tons (15 tonnes) material hopper
- Hopper apron hydraulically operated
- 4 separate hydraulic drives for conveyors and augers
- Mechanical sensors for controlling the conveyors, conveyors can briefly be reversed
- Sonic sensors for controlling the augers
- Augers reversible and hydraulically adjustable in height, complete with limiting plates for auger tunnel and bracing
- Manual auger override
- Automatic filling function for the auger tunnel during breaks in paving
- 3 left hand and 3 right hand 1 ft. (30.5 cm) stackable augers for a total of 6 ft. of augers

Electrical System

- On-board voltage 24V

Screed Heating

- Three-phase AC generator, oil-cooled with electronic generator management

- Screed is also heated when diesel engine is running at idle
- Screed heating with electronic temperature control

Operator's Platform

- 2 comfortable heated operator's seats, can be pivoted outwards
- Operator's seats and console can be easily and conveniently adjusted for ergonomic working
- Modular ErgoPlus paver operator's console; large high-contrast colour display ensures easy operation and monitoring of paver functions
- 2 ErgoPlus screed consoles for the right and left-hand screed sides, with colour display for setting up and monitoring paver and screed functions

Miscellaneous

- Centralized lubrication system for tractor unit with electronic level indication on the display
- Machine documentation
- Crown is set hydraulically

Total price of basic configuration

Bolt-on extension	Pave width	Generator	Price	
SUPER 2003-3i (4f) / VR 600-2 V Extending Screed				
Without bolt-on extensions	6.000	Generator, standard power output	USD	517,817.00
Bolt-on extensions, 2 x 2 ft. 2 in.	7.300	Generator, standard power output	USD	539,440.00

Operator's Stand

Operator's stand

Operator's stand without hardtop	Standard	V600_0975_00		USD	0.00
Hardtop with sunshades, VÖGELE design		V600_0975_01		USD	11,327.00

Rear-view mirrors

Rearview mirror, 2 pieces, paver without hardtop		V606_0975_01		USD	1,041.00
--	--	--------------	--	-----	----------

Electrical System

Working lights

Working lights, halogen		V505_0975_01		USD	-3,407.00
Working lights, LED	Standard	V505_0975_03		USD	0.00

Extra working light

Working light for auger tunnel, 2 pieces	Standard	V506_0975_02		USD	0.00
--	----------	--------------	--	-----	------

Light balloons					
Light balloon, LED, 1 piece		V520_0975_03		USD	5,554.00
<i>For extensive and non-glare lighting of night-time job sites.</i>					
<i>(Requires the Schuko Power Outlet option)</i>					
Bracket for light balloon					
Bracket for LED light balloon, 2 pieces		V522_0975_01		USD	476.00
Power outlet					
Socket outlet 12 V, 2 pieces	Standard	V510_0975_02		USD	0.00
Socket outlet 24 V, 2 pieces		V510_0975_03		USD	-296.00
Power outlet					
NEMA power outlet, 120 V, speed independent, 1 piece		V512_0975_01		USD	8,254.00
Rotary beacon					
All-round beacon, 1 piece, paver without hardtop	Standard	V515_0975_01		USD	0.00
Reverse beeper					
Reverse beeper, acoustic	Standard	V516_0975_01		USD	0.00
Material Transport					
Power Tunnel					
Power Tunnel		V313_0975_01		USD	7,586.00
Material transport					
Material transport; standard	Standard	V320_0975_01		USD	0.00
Push-rollers					
Push-rollers	Standard	V323_0975_01		USD	
Truck Hitch		V323_0975_03		USD	7,573.00
Grade And Slope Control					
Automatic grade and slope control					
NIVELTRONIC Plus	Standard	V650_0975_01		USD	0.00
Niveltronic Plus 3D		V650_0975_02		USD	3,870.00
Slope Sensor					
Slope Sensor	Standard	V670_0975_01		USD	0.00
Bracket for grade sensor					
Bracket for grade sensor, 1 piece		V684_0975_01		USD	1,517.00
<i>For attachment of a mechanical or sonic grade sensor.</i>					
Bracket for grade sensor at VF screed, 1 piece		V684_0975_03		USD	604.00
<i>For attachment of a mechanical or sonic grade sensor.</i>					

Bracket, attachment of grade sensor to screed arm					
Bracket, Attachment of Grade Sensor to Screed Arm, 1 piece		V686_0975_01		USD	579.00
Variable mechanical grade sensor					
Variable mechanical grade sensor (Dash 3), 1 unit		V680_0975_01		USD	4,423.00
Ski 6 ft. 7 in.					
Ski 2m, 1 piece		V689_0975_01		USD	180.00
Single-Cell Sonic Sensor					
Single-cell sonic sensor, 1 piece		V681_0975_03		USD	4,641.00
Multi-Cell Sonic Sensor (CAN/Analog)					
Multi-cell sonic sensor (Dash 3), 1 unit		V683_0975_03		USD	5,619.00
Big MultiPlex Ski					
Big MultiPlex Ski, 1 piece		V688_0975_03		USD	29,353.00
Big MultiPlex Ski, electronic					
Big MultiPlex Ski, electronic		V687_0975_01		USD	17,216.00
Tractor Unit / Screed Interface					
Screed lock					
Screed lock, manual		V400_0975_01		USD	-1,311.00
Screed lock, hydraulic	Standard	V400_0975_02		USD	0.00
Screed Arm Guidance					
Standard Guide for Screed Arm	Standard	V405_0975_01		USD	0.00
Guide rollers for screed arm		V405_0975_02		USD	1,273.00
Screed Assist					
Screed Assist	Standard	V420_0975_01		USD	0.00
Machine ascent					
Ascent for tractor unit without screed		V411_0975_01		USD	604.00
Others					
Low-emissions package					
EcoPlus low-emissions package	Standard	V202_0975_03		USD	0.00
Traction drive					
Traction drive (6x4)	Standard	V215_0975_02		USD	0.00
Traction drive (6x6)		V215_0975_03		USD	10,376.00
Hydraulic oil					
Hydraulic system filled with mineral oil	Standard	V700_01		USD	0.00
Washdown system					
Washdown system with tank and hose reel	Standard	V705_0975_01		USD	0.00
Tools					
Tools		V715_0975_01		USD	579.00
Packing					
Packing for transport by sea	Standard	V730_02		USD	0.00

Paint finish					
Paint finish, standard VÖGELE Green	Standard	V800_01		USD	0.00
Grease filling, lubrication system					
Adapter for connecting grease gun		V720_0975_01		USD	849.00
Ventilation system					
Ventilation system	Standard	V907_01		USD	0.00
Maintenance kit					
Maintenance kit, 50 service hours		V734_0975_01		USD	296.00
Maintenance kit, 500 service hours		V734_0975_05		USD	411.00
Maintenance kit, 1,000 service hours		V734_0975_06		USD	733.00
RoadScan					
VÖGELE RoadScan Kit <i>The Kit includes the pyrometer to measure the base temperature before paving, a USB port on the paver operator's ErgoPlus 3 console to export the saved data, the bracket for mounting on the paver roof (Dash 3), the cabling and software which can be activated in ErgoPlus 3. (The Kit is essential for operation of VÖGELE RoadScan.)</i>		V240_0975_01		USD	3,163.00
VÖGELE RoadScan, temperature-measurement system <i>The high-precision infrared camera is the key component of VÖGELE RoadScan. It scans the asphalt pavement behind the screed over the entire area. The housing of the infrared camera also accommodates a high-precision GPS receiver. It records the exact position of the temperature data. (Requires the option VÖGELE RoadScan Kit)</i>		V240_0975_02		USD	39,343.00
VÖGELE RoadScan, weather station <i>The weather station displays and documents the wind speed, wind direction, ambient temperature, air pressure and humidity.</i>		V240_0975_03		USD	2,931.00

WITOS FleetView Telematics System					
WITOS FleetView – professional telematics solution to optimize machine use and servicing	Standard	V777_0975_01		USD	0.00
<i>WITOS FleetView includes a control unit (TCU) with a GPS receiver and the usage rights for the web application WITOS FleetView. The web access function offers a compact overview of the machine status including consumption data, working times, position data, error messages and service intervals. (The actual amount of data available depends on the machine type). The availability of WITOS FleetView is guaranteed for 3 years from the</i>					
Screed Options					
Monitoring system for screed heating					
Without Monitoring System for Screed Heating	Standard	V110_18AB_00		USD	0.00
Monitoring of heating rods		V110_18AB_01		USD	6,313.00
Measuring sensors, screed					
Display of vibration speed		V120_18AB_02		USD	874.00
Height adjustment, end gate					
Height adjustment of end gate, mechanical	Standard	V126_18AB_01		USD	0.00
Height adjustment of end gate, hydraulic		V126_18AB_02		USD	6,737.00
Heating rod for end gate ski					
Heating rod for end gate ski		V131_18AB_01		USD	1,131.00
Edger plates					
Edger plate, 52°, 1 in., 2 pieces		V132_18AB_01		USD	1,119.00
Edger plate, 52°, 2 in., 2 pieces		V132_18AB_02		USD	1,363.00
Heating rod for edger plate, 2 pieces		V134_18AB		USD	900.00
Angle of attack adjustment					
Angle of attack adjustment, counterclockwise to increase mat thickness	Standard	V150_18AB_01		USD	0.00
Angle of attack adjustment, clockwise to increase mat thickness		V150_18AB_02		USD	0.00

Price list**SUPER 700i (V) / AB 220 V Extending
Screed****Scope of supply – basic machine****Drive**

- Water-cooled Deutz diesel engine, type TCD 2.9 L4 with 55.4 kW at 2,200 rpm
- The engine complies with the emission standards of the European Union Stage V and USA EPA Tier 4f
- Electronic engine management with ECO mode and variable-speed fan drive

Undercarriage

- Controlled hydrostatic traction drive, closed loop
- Crawler tracks with rubber pads, ground contact 1,500 mm x 180 mm
- Low-maintenance multiple-disk brakes, lock on automatically without oil pressure

Material feed, conveyors and augers

- Push-rollers, oscillating, can be displaced forwards by 100 mm and folded inwards to the basic width together with the hopper sides
- Hopper capacity 5.8 t, feed height 500 mm
- Hopper sides fold separately
- 3 separate hydrostatic drives on the conveyors and augers
- Mechanical sensor for controlling the conveyor
- Conveyor can briefly be reversed
- Augers can be reversed and adjusted in height
- Manual override for augers
- Automatic filling of the auger tunnel during interruptions in paving

Electrical system

- On-board voltage 24 V
- 4 working lights 24 V (2 x front, 2 x rear)

Heating system

- Three-phase A.C. generator with generator management
- Screed is also heated when diesel engine is idling

Paver operator's platform

- Ergonomically designed operator's workplace; operator platforms on the walkway behind the screed, with additional fold-down step for elevated operator position
- Paver operator's ErgoBasic console
- 2 ErgoBasic remote control units for the left and right sides of the screed

Miscellaneous

- Machine documentation

Total price of basic configuration

Bolt-on extension	Pave width	Generator	Price	
SUPER 700i (V) / AB 220 V Extending Screed				
Without bolt-on extensions	2.200	Generator, standard power output	USD	202,234.00
Bolt-on extensions, 2 x 10 in.	2.700	Generator, standard power output	USD	206,800.00
Bolt-on extensions, 2 x 1 ft. 8 in.	3.200	Generator, standard power output	USD	212,977.00

Operator's Stand**Operator's stand**

Operator's stand, luxury	Standard	V604_0990_02		USD	0.00
--------------------------	----------	--------------	--	-----	------

Weather umbrella

Weather umbrella for operator's platform		V615_0990_01		USD	349.00
--	--	--------------	--	-----	--------

Electrical System**Rotary beacon**

Rotary beacon, 1 piece	Standard	V515_0990_01		USD	0.00
------------------------	----------	--------------	--	-----	------

Reverse beeper

Reverse beeper, acoustic	Standard	V516_0990_01		USD	0.00
--------------------------	----------	--------------	--	-----	------

Material Transport**Material hopper**

Hopper wing, standard	Standard	V302_0990_01		USD	0.00
-----------------------	----------	--------------	--	-----	------

Auger control

Sensor for auger control, mechanical		V305_0990_01		USD	-3,411.00
--------------------------------------	--	--------------	--	-----	-----------

Sensor for auger control, sonic, 2 pieces	Standard	V305_0990_02		USD	0.00
---	----------	--------------	--	-----	------

Auger height adjustment

Auger height adjustment, manual	Standard	V306_0990_01		USD	0.00
---------------------------------	----------	--------------	--	-----	------

Mirror, material hopper

Mirror, view of material hopper		V330_0990_01		USD	188.00
---------------------------------	--	--------------	--	-----	--------

Grade And Slope Control					
Automatic grade and slope control					
Niveltronic Basic	Standard	V650_0990_01		USD	0.00
<i>Niveltronic Basic offers the full range of critical functions for grade and slope control. Niveltronic Basic can be combined with different mechanical and acoustic sensors, as well as a laser receiver. (Requires at least 1x optional remote control unit.)</i>					
Remote control unit					
Remote control unit for Niveltronic Basic, 2 units		V651_0990_02		USD	4,123.00
Slope Sensor					
Slope Sensor		V670_0990_01		USD	2,149.00
Bracket for grade sensor					
Bracket for grade sensor, 1 piece		V684_0990_01		USD	1,329.00
<i>For attachment of a mechanical or sonic grade sensor.</i>					
Mechanical grade sensor					
Variable mechanical grade sensor (Dash 3), 1 unit		V680_0990_01		USD	4,619.00
Ski 6 ft. 7 in.					
Ski 2m, 1 piece		V689_0990_01		USD	188.00
Single-Cell Sonic Sensor					
Single-cell sonic sensor, 1 piece		V681_0990_01		USD	4,928.00
Multi-Cell Sonic Sensor (CAN/Analog)					
Multi-cell sonic sensor (Dash 3), 1 unit		V683_0990_01		USD	5,868.00
Laser receiver, including mast					
Laser receiver, including mast, 1 piece		V685_0990_01		USD	10,756.00
Others					
Hydraulic oil					
Hydraulic system filled with mineral oil	Standard	V700_0990_01		USD	0.00
Hydraulic system filled with biodegradable oil (Panolin)		V700_0990_02		USD	3,747.00
Washdown system					

Washdown system with tank and hose reel		V705_0990_01		USD	3,532.00
Spray gun					
Spray gun	Standard	V707_0990_01		USD	0.00
Tools					
Tools		V715_0990_01		USD	604.00
Packing					
Packing for transport by sea	Standard	V730_0990_02		USD	0.00
Paint finish					
Paint finish, standard VÖGELE Green	Standard	V800_0990_01		USD	0.00
Maintenance kit					
Maintenance kit, 50 service hours		V734_0990_01		USD	282.00
Maintenance kit, 500 service hours		V734_0990_02		USD	148.00
Maintenance kit, 1,000 service hours		V734_0990_03		USD	658.00
WITOS FleetView Telematics System					
WITOS FleetView – professional telematics solution to optimize machine use and servicing <i>WITOS FleetView includes a control unit (TCU) with a GPS receiver and the usage rights for the web application WITOS FleetView. The web access function offers a compact overview of the machine status including consumption data, working times, position data, error messages and service intervals. (The actual amount of data available depends on the machine type). The availability of WITOS FleetView is guaranteed for 3 years from the date of delivery.</i>	Standard	V777_0990_01		USD	0.00
Screed Options					
Bevel irons and end gate skis					
Edger plate, 45°, 2 pieces		V132_36AB_01		USD	470.00
End gate ski (90°), 2 pieces		V132_36AB_02		USD	470.00
End gate ski (90°), heated, 2 pieces		V132_36AB_03		USD	1,517.00
System for Paving Width Reduction					
Reduction in width		V140_36AB_01		USD	1,625.00